NOLOGY

Epsidon Technology Holdings



PRODUCT CATALOGUE

VOLUME 5

CONNECT | COMMUNICATE | COLLABORATE

INDEX

ABOUT US Page 3

OUR SERVICES Page 4

BECOME A RESELLER Page 5

OUR BRANDS Page 7

UNIFIED COMMUNICATIONS & COLLABORATION Page 9

NETWORKING Page 52

CONSUMER Page 92

MANAGED SERVICES Page 107

ABOUT US



We have over
80 valued staff members
and growing...

We are
level 1 B-BBEE
certified

Founded in 2001, Nology is a specialist value-added distributor of converged IP solutions to service providers, network operators, systems integrators and resellers across Southern Africa.

Nology represents, distributes and supports some of the top international Broadband, Wireless, Networking and Unified Communications brands and we are continually expanding our product offering. We have a strong reputation and proven track record in our industry and are trusted by leading ISPs and network operators across Southern Africa.

Nology provides innovative end-to-end solutions that simplify the delivery, installation and provisioning of our products. Our competitive advantage lies in our technical expertise and ability to offer customised and unique solutions to our customers.

Nology's team consists of over 80 employees across two branches. Our dedicated technical support team, warranties centre and help desk deliver exceptional pre- and post-sales support, ensuring that our customers can make informed decisions and always depend on fast, professional support.

At the heart of our business is a foundation of trust and an inherent commitment to service excellence and customer satisfaction.




OUR CORE VALUES

We act with honesty, integrity and dediction.

We are committed to great products, exceptional service and customer satisfaction.

We encourage creativity and innovation.

We are passionate about what we do.



Our Mission

To provide cutting edge products and solutions which enable our customers to deliver their services efficiently and reliably



Our Vision

To be the premier value-added distributor of converged IP solutions in Southern Africa.

OUR SERVICES

Warehousing and Logistics

We maintain a fully-stocked warehouse to ensure sufficient stock levels and we deliver across Southern Africa.

We also offer warehousing and storage services and can drop ship directly to your customers.

Order tracking is available at the push of a button and our Logistics team is always available to assist with any queries and to keep you informed every step of the way.

Customisation and Pre-Configuration

Nology offers branding and customisation for select products, increasing your brand awareness and improving customer experience.

Through our dedicated Reworks Centre we are able to offer pre-configured solutions, such as loading custom firmware on devices, inserting leaflets and installation guides or applying customised settings.

Technical Support (Pre- and Post-Sales)

With over 24 years of experience in our industry we offer superior technical expertise, advice and support. All our products are thoroughly tested by our expert technical team before release.

Nology provides a dedicated help desk, ensuring that you can make informed decisions and always depend on fast, professional support.

Our specialised Warranty Returns Centre boasts a walk-in service for additional convenience and peace of mind.

Professional Services

Nology provides professional services and advice to our customers within our areas of expertise, including product/service specification and scoping, development and deployment of provisioning platforms and interoperability testing.

Training

We have a dedicated team of product experts who provide technical and sales training. With tailor-made training courses to suit your needs we realise that empowering you to understand our products will drive growth and revenue by helping you sell the right solution to your customers.



BECOME A RESELLER

Register as a Nology reseller today and get access to:

- Industry leading products and services
- Product training
- Technical support
- Marketing assistance
- New product announcements
- Monthly promotions
- Flexible payment terms
- Convenient online ordering portal

To register as a reseller simply visit www.nology.co.za/resellers and complete our online application form.



OUR BRANDS

Yealink
3CX
ZYXEL
neat.
MIKROTIK
tp-link
audiocodes
ZTE
logitech
Telrad
motorola
H3C
NETOGY
LG
TELTONIKA
call4tel
HUAWEI eKit
APACHE OPTICS
MINIX
Shelly
]pexip[
MECOOL
HALNY
DNAKE

3CX

PHONE SYSTEM | VIDEO | LIVE CHAT

REGISTER TO BECOME A PARTNER

REGISTERED PARTNERS QUALIFY FOR A MINIMUM OF 15% DISCOUNT OFF THE RETAIL PRICE AS PER THE 3CX WEBSITE

15% DISCOUNT



WHY 3CX

Easy setup
Have your IT team deploy 3CX in a matter of days. It's easy - supported SIP trunks and phones come preconfigured.

Do-it-yourself admin
3CX is so easy to manage day to day - your IT team can do it themselves. Delegate to department admins too.

Contact Center
Features include advanced call queue strategies, call reports, call recording and more - at no extra cost.

No per user licensing
Only pay one low annual price per system, based on concurrent calls not users.

Self host or on-prem
You choose - Windows or Linux, or self-hosted on Amazon, Amazon Lightsail, Digital Ocean, Azure or Google.

MS 365 & Google
Admins can sync users and leverage off Single Sign On (SSO). Users can sync contacts and calendar entries.

Cut call & phone costs
Don't get locked into expensive call rates or proprietary hardware. 3CX is open standard.

Call, video, message
Centralise your communications into one system. 3CX unifies calls, video, live chat, WhatsApp, & SMS.

REGISTER TO BECOME A PARTNER

CONNECT YOUR TEAM & CUSTOMERS

SCAN HERE TO REGISTER

UNIFIED COMMUNICATIONS & COLLABORATION



Unified Communications & Collaboration refers to the integration of various communication tools and channels into a single cohesive platform.

It enables individuals and organisations to effectively communicate and collaborate through a combination of real-time and non-real-time communication methods. You can find a wide range of products, including desktop phones, cordless phones, conference phones, video conferencing systems, headsets, speakerphones, and more.

- Desktop Phones
- MS Teams Phones
- DECT Phones
- Conference Phones
- Video Conferencing
- Speakerphones
- Headsets
- PBX
- VoIP Gateways
- Accessories



SIP-T31P

Yealink Fast Ethernet Desktop IP Phone

Features:

- 2.3" 132x64 Pixel Display
- 2x 10/100Mbps Ethernet Ports
- PoE Support
- 2x SIP Accounts
- Hall Switch
- Wall Mountable
- HD Voice Support



SIP-T31W

Yealink Desktop IP Phone With Built-in Wi-Fi

Features:

- 2.3" 132x64 Pixel Display
- 2x 10/100Mbps Ethernet Ports
- PoE Support
- 2x SIP Accounts
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Hall Switch
- Wall Mountable



SIP-T33G

Yealink Gigabit, Colour Screen Desktop IP Phone

Features:

- 2.4" 320x240 Pixel Colour Display
- 2x Gigabit Ethernet Ports
- PoE Support
- 4x SIP Accounts
- Hall Switch
- Wall Mountable
- HD Voice Support



SIP-T34W

Yealink Desktop IP PhoneWith Built-in Wi-Fi

Features:

- 2.4" 320x240 Pixel Colour Display
- 2x Gigabit Ethernet Ports
- PoE Support
- 4x SIP Accounts
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- 2x USB 2.0 Port
- Hall Switch



SIP-T53W

Yealink IP Multimedia Phone

Features:

- 3.7" 360x160 Pixel Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- 1x USB 2.0 Port



SIP-T54W

Yealink IP Multimedia Phone

Features:

- 4.3" 480x272 Pixel Colour Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- 1x USB 2.0 Port



SIP-T57W

Yealink Dual-Band Wi-Fi Phone

Features:

- 7" 1024x600 Pixel Colour Touch Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- 1x USB 2.0 Port
- Optional CAM50 for 720p HD Video Calling



SIP-T58W

Yealink Elite Desktop Collaboration IP Phone

Features:

- 7" 1024x600 Pixel Colour Touch Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- 2x USB 2.0 Ports
- Optional CAM50 for 720p HD Video Calling



SIP-T58W-PRO

Yealink Elite Desktop Collaboration IP Phone with Bluetooth Handset

Features:

- 7" 1024x600 Pixel Colour Touch Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- Bluetooth Handset
- 2x USB 2.0 Ports

DID YOU KNOW?

By working with Microsoft and being the 1st company to provide Teams certified desk phones for Microsoft Teams in the market, Yealink creates a complete range of device solutions that allows all types of professionals to work the way they love anytime, anywhere.



MP45

Yealink USB Phone Compatible With Microsoft Teams

Features:

- 4" 480x800 Pixel Touch Display
- Microsoft Teams and Skype for Business Compatible
- Microsoft Teams-tailored user Interface
- USB-A/C Adapter
- Busylight
- Android Operating System



MP52 E2

Yealink Basic Phone For Microsoft Teams, Excludes PSU

Features:

- Android 9.0
- 2.4 inch (320 x 240) Non-touch Color Screen
- Optimal HD audio, Yealink Noise Proof Technology
- Magnet Handset
- Bluetooth Headset Via Dongle BT41
- Wi-Fi via Dongle WF50



MP54 E2

Yealink Microsoft Teams Phone

Features:

- 7" 800x480 Pixel Touch Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Microsoft Teams Certified
- Microsoft Teams-tailored user Interface
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2



MP56 E2

Yealink Microsoft Teams Desktop IP Phone

Features:

- 7" 800x480 Pixel Touch Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Microsoft Teams Certified
- Microsoft Teams-tailored User Interface
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- Android Operating System



MP58-WH E2

Yealink Microsoft Teams Smart Business Phone

Features:

- 7" 1024x600 Pixel Touch Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Microsoft Teams Certified
- Microsoft Teams-tailored User Interface
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2

Yealink

UNIFIED COMMUNICATIONS & COLLABORATION

MS Teams Phones



VP59

Yealink VC Enabled Desktop IP Phone

Features:

- 8" 1280x800 Pixel Touch Display
- 2x Gigabit Ethernet Ports
- PoE Support
- Microsoft Teams Certified
- Microsoft Teams-tailored User Interface
- 2 mega-pixel Camera
- 1080p Full HD Video Conferencing
- Built-in Bluetooth 4.2

DECT Phones



W56H

Yealink DECT Cordless Handset

Features:

- 2.4" 240x320 Pixel Colour Screen
- Up to 30 Hours Talk Time
- Up to 400 Hours Standby Time
- 3.5mm Headset Jack
- 2 Simultaneous Calls Per Handset



W57R

Yealink IP54 Rugged IP DECT Handset

Features:

- 1.8" 128x160 Pixel Colour Screen
- Up to 40 Hours Talk Time
- Up to 575 Hours Standby Time
- IP54 Rated
- Dust Resistant
- Splash Resistant
- Shock Resistant



W59R

Yealink IP67 Rugged DECT Handset

Features:

- 1.8" 128x160 Pixel Colour Screen
- Up to 28 Hours Talk Time
- Up to 360 Hours Standby Time
- IP67 Rated
- Dust Resistant...

NOLOGY
Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:



AX83H

Yealink High-Performance IP DECT Handset

Features:

- 2.4" 240x320 TFT color screen
- Up to 9-hour talk time (in ideal conditions)
- Up to 200-hour standby time (in ideal conditions)
- Dual Band 2.4G/5G Wi-Fi 802.11 a/b/g/n/ac/ax
- Bluetooth 5.0 for headset
- HD audio and noise cancellation



W73H

Yealink High-Performance IP DECT Handset

Features:

- 1.8" 128x160 Pixel Colour Screen
- Up to 35 Hours Talk Time
- Up to 400 Hours Standby Time
- 3.5mm Headset Jack
- HD Voice Support
- 2 Simultaneous Calls Per Handse



W74H

Yealink IP DECT Handset

Features:

- 1.8" 128x160 Pixel Colour Screen
- Up to 24 Hours Talk Time
- Up to 360 Hours Standby Time
- Built-in Bluetooth 5.1
- 3.5mm Headset Jack
- Vibration Alert



W78H

Yealink High-Performance IP DECT Handset

Features:

- 2.4" 240x320 Pixel Colour Screen
- Up to 21 Hours Talk Time
- Up to 166 Hours Standby Time
- Built-in Bluetooth 5.1
- 3.5mm Headset Jack
- Vibration Alert



W73P

Yealink High-Performance IP DECT Base Station And Handset

Features:

- W73H Handset
- W70B Base Station
- Up to 10 DECT Handsets
- Up to 20 Simultaneous Calls
- 1.8" 128x160 Pixel Colour Screen
- Up to 35 Hours Talk Time
- Up to 400 Hours Standby Time



W74P

Yealink IP DECT Phone And Base Station

Features:

- W74H Handset
- W70B Base Station
- Up to 10 DECT Handsets
- Up to 20 Simultaneous Calls
- 1.8" 128x160 Pixel Colour Screen
- Up to 24 Hours Talk Time
- Up to 360 Hours Standby Time



W76P

Yealink High-Performance IP DECT Phone And Base Station

Features:

- W56H Handset
- W70B Base Station
- Up to 10 DECT Handsets
- Up to 20 Simultaneous Calls
- 2.4" 240x320 Pixel Colour Screen
- Up to 30 Hours Talk Time
- Up to 400 Hours Standby Time



W78P

Yealink High-Performance IP DECT Base Station And Handset

Features:

- W78H Handset
- W70B Base Station
- Up to 10 DECT Handsets
- Up to 20 Simultaneous Calls
- 2.4" 240x320 Pixel Colour Screen
- Up to 21 Hours Talk Time
- Up to 166 Hours Standby Time




W70B

Yealink High-Performance IP DECT Base Station

Features:

- Up to 10 DECT Handsets per Base Station
- Up to 20 Simultaneous Calls per Base Station
- Up to 10 SIP Accounts
- Noise Reduction System
- TLS and SRTP Security Encryption
- No Perception Upgrade



Yealink W78P embraces upgraded hardware, sophisticated acoustic algorithms, noise cancellation technology and enhanced signal strength, providing the flexible workforces with a high-quality mobile communication environment.



W75

Yealink Mini Multi-Cell DECT System

Features:

- Seamless Handover and Roaming
- Up to 3 Base Stations
- Up to 20 DECT Handsets
- Up to 20 Simultaneous Calls
- Up to 10 SIP Accounts
- Wall Mountable
- Includes Base Station and DECT Manager



W80B

Yealink Multi-Cell DECT Base Station

Features:

- Seamless Handover and Roaming
- Up to 8 DECT Handsets per Base Station
- Up to 8 Simultaneous Calls per Base Station
- Up to 50m Indoor Range
- Wall Mountable
- PoE Support



W80B-DM

Yealink Multi-Cell DECT Manager

Features:

- Manages the W80B
- Seamless Handover and Roaming
- Up to 100 Parallel Calls
- Up to 30 Base Stations
- Up to 100 Handsets
- Up to 100 SIP Accounts
- PoE Support
- Wall Mount Only



W90B

Yealink Multi-Cell DECT Base Station

Features:

- Seamless Handover and Roaming
- Up to 30 Base Stations
- Up to 100 DECT Handsets
- Up to 100 Simultaneous Calls
- Up to 100 SIP Accounts
- Wall Mountable
- PoE Support



W90DM

Yealink Multi-Cell DECT DECT Manager

Features:

- Seamless Handover and Roaming
- Up to 60 Base Stations
- Up to 250 DECT Handsets
- Up to 250 Simultaneous Calls
- Up to 250 SIP Accounts
- Supports Air and LAN Synchronisation
- Wall Mountable

Conference Phones



CP925

Yealink Audio Conference Phone

Features:

- 4" 480x800 Pixel Touch Screen
- 1x 10/100Mbps Ethernet Port
- PoE Support
- 1x SIP Account
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- 6 Meter, 360-degree Microphone Pickup



CP965

Yealink Audio Conference Phone

Features:

- 5" 720x1280 Pixel Touch Screen
- 1x 10/100Mbps Ethernet Port
- PoE Support
- 1x SIP Account
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- 6 Meter, 360-degree Microphone Pickup



CP935W

Yealink DECT Cordless Conference Phone

Features:

- 4" 480x800 Pixel Touch Screen
- DECT Wireless Connectivity
- Built-in Dual-Band Wi-Fi (2.4GHz/5GHz)
- Built-in Bluetooth 4.2
- 6 Meter, 360-degree Microphone Pickup
- 6 Microphone Array for Voice Pickup
- Up to 15hours Talk Time

Speakerphones



CP700

Yealink Bluetooth Speakerphone

Features:

- Bluetooth 4.0
- Up to 9 Hours Talk Time
- 3 Hours Charging Time
- 360 Days Standby Time
- Up to 3 Simultaneously Connected Devices



CP900

Yealink Portable Bluetooth Speakerphone

Features:

- Bluetooth 4.0
- Up to 12 Hours Talk Time
- 3 hours Charging Time
- 450 Days Standby
- Up to 3 Simultaneously Connected Devices
- USB 2.0 port
- Built-in Battery



MCOREKIT-C0-MS

Yealink MS Teams System Base Kit (New Generation)

Features:

- Bluetooth and Wi-Fi
- 11.6-inch Narrow Bezel IPS Display
- 1920 x 1080 Video Resolution
- WPP30 (Optional)
- HDMI/USB-C Video Input (Optional)
- Desktop Placement, Desktop Fixed, Wall-mounted Deployment (Optional)
- Includes Room Sensor



MCOREKIT-C4-MS

Yealink Microsoft Teams Rooms system Base Kit

Features:

- Storage:128GB SSD
- Bluetooth and Wi-Fi
- 1280 x 800 resolution
- Support wired and wireless content sharing
- Adjustable Stand
- 8-inch narrow bezel IPS display
- HDMI and USB



MCOREKIT-C5-MS

Yealink Microsoft Teams Rooms system Base Kit

Features:

- 11.6-inch narrow bezel IPS display
- Support HDMI/USB-C video input
- 3x HDMI video output with CEC supported
- Bluetooth and Wi-Fi
- Includes Room Sensor
- Adjustable Stand



MVC340-C4-000

Yealink Video Conferencing Solution for Small Boardrooms

Features:

- Native Microsoft Teams-tailored user interface, smooth conference experience
- Smart Video Conferencing with AI Technology
- Precise Sound Localization, Full-duplex Experience
- Secure Conference with Electric Lens Cap
- Content sharing in real time
- Simple to deploy, Easy to use
- Manage your devices remotely



MVC S40-C4-000

Yealink MVC S40 Native Microsoft Teams Rooms System For Small-to-Medium Rooms

Features:

- 2x 48MP Multiple Cameras
- Camera Layout Adjustment
- Wireless Content Sharing with WPP30 (Optional)
- Device Management via Yealink Cloud Management Service (YMCS)
- Support Multiple Touch Panels
- Automatic Lense Privacy Cover
- Smart Vision 40
- MTouch E2, MCore



MVC S40-C5-000

Yealink MVC S40 Native Microsoft Teams Rooms System For Small-to-medium Rooms

Features:

- Dual-Eye Camera System
- 48MP Camera
- 6m duplex voice pick-up
- AI-Enhanced Noise Cancellation
- Built-In Speaker and Microphones
- MTouch Plus
- Smartvision 40



MVC640-C4-000

Yealink MVC640 Microsoft Teams Rooms System For Medium Rooms

Features:

- 3-microphone Array (Optional)
- Wireless Content Sharing With WPP30 (Optional)
- Device Management via Yealink Cloud Management Service (YMCS)
- Built-In Speaker and Microphones
- MCore Mini
- MTouch E2
- UVC 84 Camera



MVC640-C4-F10

Yealink Medium Boardroom Video Conferencing MCU

Features:

- Wireless Content Sharing with WPP30 (Optional)
- Device Management via Yealink Cloud Management Service (YMCS)
- MCore Mini
- MTouch E2
- UVC 84 Camera



MVC840-C5-000

Yealink MVC840 Base Kit- Full Video Conference For Medium to Large Room

Features:

- Wireless Content Sharing with WPP30 Optional
- Device Management via Yealink Cloud Management Service (YMCS)
- MCore Pro
- MTouch Plus
- UVC 84 Camera
- Room Sensor



MVC860-C5-000

Yealink MVC860 Full Video Conference For Medium To Large Room

Features:

- Device management via Yealink Cloud Management Service (YMCS)
- Speaker Tracking
- Supports Multiple Touch Panels
- Presenter Tracking
- UVC86 Camera
- Mcore Pro
- MTouch Plus

Yealink

EMBRACE A NEW ERA OF INTELLIGENT TEAMS ROOMS


A New-Gen of MVC Series for Microsoft Teams Rooms on Windows

Certified for Microsoft Teams


Divisible Rooms



Boardrooms



Training Rooms





Yealink's new generation of the MVC series breaks down the barriers between meeting rooms and remote participants. Experience a higher level of equity and flexibility across all rooms and impress your audiences with a seamless flow of interaction.



MVC860-C5-713

Yealink Medium To Larger Boardrooms Video Conferencing MCU

Features:

- Wireless With WPP30 (Optional)
- Supports Multiple Touch Panels
- Device Management Via Yealink Cloud Management Service (YMCS)
- Speaker Tracking
- Presenter Tracking
- RoomSensor, MTouch Plus, MCore Pro mini-PC, UVC86 Dual-eye Intelligent Camera and 2x VCM35 Microphones



MVC940-C5-008

Yealink MVC940 Full Video Conferencing Solution

Features:

- 2x UVC84 12X optical PTZ camera
- Wireless Content Sharing With WPP30 (Optional)
- Device Management Via Yealink Cloud Management Service (YMCS)
- VCR20
- MCore Pro mini-PC, MTouch Plus and RoomSensor
- Excludes Audio Devices



MVC S60-C5-000

Yealink Small To Medium room Video Conferencing Solution

Features:

- Wireless Content Sharing With WPP30 (Optional)
- 1x SmartVision60
- 360° Intelligent AIO Device
- MCore Pro mini-PC
- MTouch Plus
- RoomSensor



MVC S90-C5-007

Yealink ProAv Room Video Conferencing MCU

Features:

- Wireless Content sharing With WPP30 (Optional)
- Device Management Via Yealink Cloud Management Service (YMCS)
- Multiple Touch Panels Can be Added
- Can Support 3rd Party Audio Equipment
- 2x UVC86 Dual-eye Intelligent Camera, VCR20, MCore Pro mini-PC, MTouch Plus, RoomSensor, AVHub Multi-camera Processor and MVC-BYOD-Extender USB-BYOD Adapter

DID YOU KNOW?

The MVC S90 eliminates unnecessary camera tracking processes, allowing you to stay focused on what truly matters. With its fast and accurate Multi-Camera IntelliFrame feature, whether you're attending a remote board meeting or a panel discussion, communication flows naturally and effortlessly.



A20-020

Yealink Touch All-In-One Android Video Bar, With CTP18 Touch Panel

Features:

- 20 Megapixel (4K) camera
- Electric Privacy Shutter
- Auto Framing and Speaker Tracking
- Built-in 8 MEMS microphone array
- Built-in Speaker
- Yealink Noise Proof Technology
- Including CTP18 Touch Panel



A30-020

Yealink All-In-One Android Video Bar For Teams, With CTP18 Touch Panel

Features:

- Dual Camera System
- 120° Super Field of View
- Electric Privacy Shutter
- Auto Framing and Speaker Tracking
- 8 Megapixel (4K) Camera
- Built-in Speaker
- Including CTP18 touch console



A30-025

Yealink All-In-One Android Video Bar For Teams, With CTP18 Touch Panel

Features:

- Dual Camera System
- 120° Super Field of View
- Auto Framing and Speaker Tracking
- 8 Megapixel (4K) Camera
- Built-in Speaker
- Including CTP18 touch console
- Includes a WPP30



A40-010

Yealink All-In-One Android Video Bar For Teams, With VCR11 Remote

Features:

- 120 Degree Field of View
- Autoframing
- Yealink Noiseproof Technology
- Built-in Speaker
- Speaker Tracking
- Built-in 8 MEMS Microphone Array
- Includes VCR11



A40-031

Yealink All-In-One Android Video Bar For Teams, With CTP25 Touch Panel

Features:

- 120 Degree Field of View
- Autoframing
- Yealink Noiseproof Technology
- Built-in Speaker
- Speaker Tracking
- Built-in 8 MEMS Microphone Array
- Includes CTP25



A24

Yealink DeskVision A24 Desktop Collaboration Solution

Features:

- Teams/Zoom Display Certified
- UC Workstation Mode
- Full-HD Video Call
- Built in Audio, Touch Screen, Wireless Charging
- USB Docking Station



MB65-A001

Yealink MeetingBoard 65 All-In-One Collaboration Touch Panel

Features:

- 65-Inch Anti-glare 4K Touch Display
- 4K / 120° Wide-view Camera
- Optional 12x PTZ Camera
- 16-Mic Beamforming Microphone Array
- Qualcomm Octa-core High-performance Chipset
- Microsoft Teams Integrated



MB86-A001

Yealink MeetingBoard 86 For Medium To Large Rooms

Features:

- 86-Inch anti-glare 4K Touch Display
- 4K / 120° Wide-view camera
- Optional 12x PTZ Camera
- 16-Mic Beamforming Microphone Array
- Qualcomm Octa-core High-performance Chipset
- Microsoft Teams Integrated



MB-FLOORSTAND-650T

Yealink Floorstand For Meeting Board 65-inch

Features:

- Floorstand with Tray
- Screen Size: 165.1 cm (65")
- Mounting Type: Floor
- Number of Wheels: 4 wheel(s)
- Product Colour: Metallic



MB-FLOORSTAND-860T

Yealink Floorstand For Meeting Board 86-inch

Features:

- Floorstand with Tray
- Screen Size: 218.44 cm (86")
- Mounting Type: Floor
- Number of Wheels: 4 wheel(s)
- Product Colour: Metallic

Meeting Boards for MS Teams

Video Conferencing



MB-CAMERA-6X

Yealink 6X Extended PTZ Camera Module for MeetingBoard Series

Features:

- 8MP
- 4K 30FPS
- 6x Optical Zoom
- Autoframing
- Speaker Tracking
- Electric Privacy Shutter



MB-CAMERA-12X

Yealink MB FloorStand D652 For ETV65

Features:

- 8MP
- 4K 30FPS
- 12x Optical Zoom
- Autoframing
- Speaker Tracking
- Electric Privacy Shutter

Zoom Room Kits

Video Conferencing



ZVC860-C5-000

Yealink Zoom Rooms system for Medium to Large Rooms (NEW generation)

Features:

- MTouch Plus
- UVC86 USB PTZ Camera
- Room Sensor
- VCR20
- Mcore Pro
- Wireless Content Sharing with WPP30 (Optional)



ZVC860-C5-710

Yealink Zoom Rooms System For Medium To Large Rooms (New Generation)

Features:

- 1x UVC86
- VCR20
- MCore Pro
- Mtouch Plus
- Room Sensor
- 2x VCM35
- MSpeaker 2, RCH40



ZVC S90-C5-007

Yealink Zoom Rooms System for ProAV Rooms (New Generation)

Features:

- No Audio Devices Included
- Content Sharing with WPP30 (Optional)
- UV86 x2
- VCR20
- Mcore Pro
- Mtouch Plus
- RoomSensor, AVhub, MVC-BYOD-Extender



CTP18-STD

Yealink Touch console for All-In-One Meetingbar A20/A30

Features:

- 8-inch Multi-touch Screen Display
- Support Conference Control
- Support Annotation on Shared Content
- Power Over Ethernet
- Adjustable Desk Stand



MTOUCH E2

Yealink Third-generation Conference Touch OPanel.

Features:

- 8-inch IPS Screen
- 10-point Capacitive Touch Screen
- Adjustable Desk Stand
- Power Over Ethernet
- Support Conference Control
- Support Annotation on Shared Content



MTOUCH PLUS

Yealink 1.6 Inch Touch Console For MVC Series Room System

Features:

- 11.6-inch Anti-fingerprint & Anti-glare IPS Screen
- Works with the MTouch Plus-EX Package
- Content Sharing Using WPP30 (Optional)
- Supports Power Supply for PC (Content Sharing)
- Wall and Desk Mount Bracket
- Power Over Ethernet
- Supports Conference Control



MTOUCH PLUS-EX PACKAGE

Yealink MTouch Plus-EX Package Touch Panel

Features:

- 11.6-inch Anti-fingerprint & Anti-glare IPS Screen
- Can Only Work with the MTouch Plus
- Extension Screen for the MTouch Plus
- 4x MTouch Plus Ex Package Per 1 MTouch Plus
- Wall and Desk Mount Bracket
- Power Over Ethernet
- Three Deployment Methods

DID YOU KNOW?

MTouch Plus-EXT is the ideal extension for MTouch Plus. It boasts the same sleek design, complete with a spacious 1.6-inch 1080P IPS screen, a sophisticated space-black finish, and premium texture. Elevate your control experience with seamless integration.



ROOMSENSOR

Yealink Battery Powered Bluetooth Occupancy Sensor

Features:

- Passive Infrared Tech
- Wireless Installation
- Magnetic Base
- Temperature Detection
- Humidity Detection
- Light Detection
- Lithium Power Supply



ROOMSENSOR PRO

Yealink Multifunctional Wireless Sensor

Features:

- People Counting
- Temperature Detection
- Humidity Detection
- Light Detection
- Detection Range: Radius 4m Circular Area (When the Installation Height is 3m)
- Detection Distance:≤5m



ROOMCAST

Yealink RoomCast Wireless Presentation System

Features:

- Up to 4 Screen Casting
- Yealink Wireless Presentation Pod (WPP20) Support
- Cast Support
- Virtual Whiteboard
- AP, Station and P2P Mode
- Power Over Ethernet




ROOMPANEL

Yealink 8 Inch Android-based Teams Room Scheduling Panel

Features:

- 8-Inch 10-Point Interactive Panel
- Anti Fingerprint Screen
- Bluetooth and Wi-Fi Built-in
- Flexible Mounting Options
- RFID and NFC Embedded to Track Meeting Participants



ROOMPANEL PLUS

Yealink 10 Inch Scheduling Panel

Features:

- 10.1-Inch Multi-Point Interactive Panel
- Face Recognition Camera *
- Bluetooth and Wi-Fi Built-in
- Flexible Mounting Options
- Compatible with the RoomSensor

Yealink

UNIFIED COMMUNICATIONS & COLLABORATION

Scheduling Devices

Video Conferencing



ROOMPANEL PLUS BLACK

Yealink 10 Inch Scheduling Panel

Features:

- 10.1-Inch Multi-Point Interactive Panel
- Face Recognition Camera *
- Bluetooth and Wi-Fi Built-in
- Flexible Mounting Options
- Compatible with the RoomSensor

Content Sharing

Video Conferencing



WPP30

Yealink Wireless Sharing Presentation And BYOD Pod

Features:

- One-Press Presenting
- Plug-and-play
- Bluetooth 5.0
- 4K UHD
- Wi-Fi 6 Chip
- Extended Display Casting
- Hardware Encoding



VCH51

Yealink VCH51 Cable Hub

Features:

- 1 x 100Mbps RJ45 Port (IEEE 802.3af, full-duplex)
- 1 x USB 2.0 Type A
- 1 x USB 2.0 Type C (with DP Video Input)
- 1 x HDMI Video Input
- Presentation Resolution: Up to 4Kp15*
- Works with Yealink's Video Conferencing Systems
- Plug and Play



MSHARE E2

Yealink MVC Screen Sharing Box

Features:

- Up to 1080P/30FPS Full HD Screen Sharing
- Audio Sharing Support
- USB Type-B (Female)
- HDMI in (Female)
- USB C in (Female)
- LED Light
- Allows Users to Present Content From a Laptop

NOLOGY
Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:

Content Sharing

Video Conferencing



CTP25

Yealink CTP25 Teams Collaboration Touch Panel

Features:

- 10-inch Touch Console
- USB-C Wired Content Sharing/BYOD/Power
- Supports Android 13
- Anti Glare
- Anti Fingerprint
- Compatible with the MeetingBar A40
- Wi-Fi and Bluetooth Built-in



UVC30-CONTENTCAMKIT

Yealink UVC30 Room 4K Camera Kit

Features:

- Adaptable Resolution up to 4K/30FPS
- Auto-framing
- Adjustable 120 Degree Field of View
- Built in Microphone
- Retractable Clip Included for Flexible Mounting

Room Audio

Video Conferencing



AVHUB

Yealink AVHub Meeting AV Processor

Features:

- Designed for Large Conference Rooms
- IntelliFocus
- Support Divisible Room
- Easy Deployment
- Supports Multiple Camera's, Microphones and Speakers
- Audio & Video Processing Capability



CPW65 PACKAGE

Yealink CPW65 Wireless Microphones

Features:

- Optima HD Audio
- Full Duplex Technology
- 11-day Standby Time and 13-hour Talk Time
- 3m 360 Degree Voice Pick-up
- Up to 20-meter Connection Distance with CP965
- Place-and-Charge Charging Cradle
- Intuitive Capacitive Mute Buttons



CPW90 PACKAGE

Yealink CPW90 Wireless Microphone Package

Features:

- Optima HD Audio
- Full duplex technology
- 3m 360 Degree Voice Pick-up
- Capacitive mute touchpad
- Echo cancellation
- 11-Day Standby Time and 19 Hour Talk Time
- Up to 20m Connection Distance with CP960



VCM36W

Yealink VCM36-W Wireless Microphone

Features:

- Optimal HD Audio
- Full-Duplex Technology
- (6-meter) 360° Voice Pick-up
- Capacitive Mute Touchpad
- WiFi Technology (WPA2/AES128 Encryption)
- Expansion Mic (Works with Built-in Mic)
- Built in 3 Micrphone Array
- Up to 20m Distance Between VCM36W and VC Terminal



VCM35

Yealink VCM35 Array Microphone

Features:

- Optima HD Audio
- Full Duplex Technology
- 6m 360 Degree Voice Pick-up
- Acoustic Echo Cancelling
- Muting the Microphone with the Touchpad
- Built-in 3 Microphone Array



MSPEECH

Yealink Mspeech AI Speakerphone

Features:

- 2 Built-in Microphone Arrays
- Full-duplex Technology
- Intelligent Voice Applications Including Voice Transcription, Real-time Translation, and Cortana Voice Assistant
- High Auality Audio
- Suitable for Medium Conference Rooms
- Optima HD Voice
- Acoustic Echo Cancellation (AEC)



MSPEAKER II

Yealink Sound Bar

Features:

- 2 Built-in Speakers
- Noise Proof Technology
- Crystal and Vivid Audio Experience
- Wall Mount Included



CS10

Yealink CS10 Ceiling Speaker

Features:

- High-fidelity Audio Delivery
- Acoustically Tuned Design for Speech
- PoE-Enabled Active Speaker
- Ceiling Mount
- Plenum Rated UL 2043 (Suitable for Air Handling Spaces)

Room Audio

Video Conferencing



CM20

Yealink CM20 Ceiling Microphone

Features:

- Premium Audio
- Full Duplex Technology
- Intelligent Tracking
- Built in 6 Microphone Array with BeamForming
- Ceiling Mount
- Advanced Noise Reduction



CM50

Yealink CM50 Ceiling Microphone

Features:

- 127 Microphone Array for High-Fidelity Pickup
- AI-enhanced Premium Audio Performance
- Intelligent Room Design & Deployment
- Complete Dante Ecosystem Solution
- Smart Integration with Multi-camera Solution
- One-stop, full-scenario Teams Room
- Sound Reinforcement System



AP08

Yealink AP08 DSP

Features:

- Robust Hardware
- AI-Powered Audio
- Acoustic Optimization
- Effortless Setup
- Teams Integration

Bring Your Own Device

Video Conferencing



UVC30-CP900-BYOD

Yealink Meeting Kit for Small/Huddle Rooms

Features:

- All-in-One Design, Plug and Play
- Cost-effective
- Suitable for Small Conference Rooms or Huddle Rooms
- 1x UVC30 Camera
- 1x CP900 Speakerphone
- 1x BYOD-BOX



UVC84-BYOD-H00

Yealink BYOD Room System For Medium Rooms

Features:

- 4K Ultra HD Video Quality
- 80° Field of View
- Integrated with Audio
- Auto Framing
- Suitable for Medium Rooms
- 1x UVC84, 1x VCR20, 1x CP965



MVC BYOD EXT

Yealink 6X Extended PTZ Camera Module For MeetingBoard Series

Features:

- Plug and Play
- Simple and Flexible Deployment
- Up to 100-meter Deployment



BYOD-BOX

Yealink BYOD Cable Hub With 1.5m USB-C Cable

Features:

- 1x BYOD cable Hub with 1.5m USB-Ccable
- USB-A to USB-C Adapter
- 1x Power Adapter with 1m USB-C Cable
- Can Charge the Connected Laptop
- Including 1-year Hardware Warranty



RCH40 E2

Yealink RCH40 Connector

Features:

- Up to 90w PoE Budget
- 4x 10/100/1000Mbps Port
- 802.3af/at-compliant
- PoE Priority Control
- 30W Per Port



UVC30-ROOM

Yealink 4K Web Camera

Features:

- 8 Megapixel (4K) camera
- 120 degree field of view
- Suitable for Small Conference Rooms or Huddle Rooms
- Auto Framing
- Flexible Clip for Multiple Mounting Options



UVC34

Yealink All-in-One Video Bar For Small Rooms

Features:

- Ultra HD 4K camera
- 8 Microphone Array and Built in Speakera
- Auto Framing and AI Face Enhancement
- 120 Degree Field of View
- Suitable for Small Conference Rooms and Huddle Rooms
- All-in-one Plug and Play

Cameras

Video Conferencing



SMARTVISION 40

Yealink SmartVision 40 All-in-one AI USB Video Bar for Small to Medium Rooms

Features:

- Dual-eye Camera 120 Degree Field of View
- IntelliFocus and Video Fence
- Suitable for Small to Medium Rooms
- Full-duplex Audio with AI-Enhanced Noise Cancellation
- Stereo Speakers
- 1x VCR20



UVC84

Yealink Ultra HD 4K USB Boardroom Camera

Features:

- Ultra-HD 4K camera
- 73 degree Horizontal field of view
- 45 degree Vertical field of view
- 12x Optical Zoom
- Mechanical Pan, Tilt and Zoom
- Auto Framing



UVC86

Yealink USB Boardroom Pan-Tilt 4K Dual-eye Intelligent Camera

Features:

- Dual-eye 4K camera
- 4K video at 30 frames out per second
- Auto Framing, Speaker Tracking and Presenter Tracking
- Suitable for Medium to Large Conference Rooms
- 1x VCR20
- Can Integrate Seamlessly with Yealink Audio Devices.

RJ-9 Headsets

Video Conferencing



YHS34-LITE-MONO

Yealink Professional Mono Call Centre Headset

Features:

- Mono Earpiece
- Plug and Play
- RJ-9 Connectivity
- Quick Disconnect cord
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Active Protection Technology Safeguards Users from Acoustic Injury



YHS34-LITE-DUAL

Yealink Professional Dual Call Centre Headset

Features:

- Dual Earpiece
- Plug and Play
- RJ-9 Connectivity
- Quick Disconnect cord
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Active Protection Technology Safeguards Users from Acoustic Injury

RJ-9 Headsets

Headsets



YHS34-MONO

Yealink Professional Mono Call Centre Headset

Features:

- Mono Earpiece
- Plug and Play
- Quick Disconnect cord
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Active Protection Technology Safeguards Users from Acoustic Injury
- Compatible with All Yealink Phones



YHS34-DUAL

Yealink Professional Dual Call Centre Headset

Features:

- Dual Earpiece
- Plug and Play
- Leatherette ear cushion
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Compatible with All Yealink Phones



YHS36-MONO

Yealink Wideband Mono Call Centre Headset

Features:

- Single/mono earpiece
- Plug and play
- RJ-9 connectivity
- Leatherette ear cushion
- HD voice / wideband speaker performance
- Noise cancelling microphone and passive noise cancellation
- Compatible with All Yealink Phones



YHS36-DUAL

Yealink Wideband Dual Call Centre Headset

Features:

- Plug and play
- Quick disconnect cord
- Letherette ear cushions
- HD voice / wideband speaker performance
- Noise cancelling microphone and passive noise cancellation
- Compatible with All Yealink Phones

USB Headsets

Headsets



UH34-LITE-MONO

Yealink On-Ear USB Mono Headset

Features:

- Plug and Play
- USB
- Foamy Single Earpiece
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Active Protection Technology Safeguards Users from Acoustic Injury
- 330° Bendable Boom Arm for Easy Adjustment without Breaking



UH34-LITE-DUAL

Yealink On-Ear USB Stereo Headset

Features:

- Plug and Play
- USB
- Foamy Dual Earpiece
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Active Protection Technology Safeguards Users from Acoustic Injury
- 330° Bendable Boom Arm for Easy Adjustment Without Breaking



UH34-MONO

Yealink On-Ear USB Mono Headset

Features:

- Plug and Play
- USB
- Leatherette Single Earpiece
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Active Protection Technology Safeguards Users from Acoustic Injury
- 330° Bendable Boom Arm for Easy Adjustment without Breaking



UH34-DUAL

Yealink On-Ear USB Stereo Headset

Features:

- Plug and Play
- USB
- Leatherette Dual Earpiece
- HD Voice / Wideband Speaker Performance
- Noise Cancelling Microphone and Passive Noise Cancellation
- Active Protection Technology Safeguards Users from Acoustic Injury
- 330° Bendable Boom Arm for Easy Adjustment Without Breaking



UH37-MONO

Yealink Mono USB-A Headset

Features:

- Dual Noise-Canceling Microphones
- 35 mm speaker
- Brilliant audio quality
- Lightweight comfort
- Busylight
- Call and music Mode



UH37-DUAL

Yealink Dual USB-A Headset

Features:

- Dual Noise-Canceling Microphones
- 35 mm speaker
- Brilliant audio quality
- Lightweight comfort
- Busylight
- Call and music Mode



WH62-MONO

Yealink DECT Wireless On-Ear Mono Headset

Features:

- 2 x Micro USB Ports
- 2 x Microphones
- Single Leather Earpiece
- 2.5mm Port
- 160m Wireless Range
- Easily Connect to a PC or Yealink IP Phone



WH62-DUO

Yealink DECT Wireless On-Ear Stereo Headset

Features:

- 2 x Micro USB ports
- 2 x Microphones
- Dual Leather Earpiece
- 2.5mm Port
- 160m Wireless Range
- Easily Connect to a PC or Yealink IP Phone



WH63

Yealink DECT Wireless Convertible Headset

Features:

- 2 x Micro USB Ports
- 2 Microphones
- 4 Wearing Styles
- Call Control on Headset
- 2.5mm Port
- Up to 7 Hours Talk Time
- Easily Connect to a PC or Yealink IP Phone



WH62-MONO

Yealink DECT Wireless On-Ear Mono Headset, MS Teams Certified

Features:

- Acoustic Shield Technology
- Optima Audio Experience
- All Day Wearing Comfort
- Built-in Ringer
- Multiple Devices Connection
- Customizable Busylight
- Easy Management



WH62-DUAL

Yealink DECT Wireless On-Ear Stereo Headset, MS Teams Certified

Features:

- Acoustic Shield Technology
- Optima Audio Experience
- All Day Wearing Comfort
- Built-in Ringer
- Multiple Devices Connection
- Customizable Busylight
- Easy Management



WH64-MONO

Yealink DECT Hybrid Wireless Headset

Features:

- DECT & Bluetooth Hybrid Wireless Technology
- Acoustic Shield Technology 2.0
- Plug & Play for Mainstream IP Phones
- Multiple Devices Connection
- All-daywearing Comfort
- Hybrid Visual Busylight
- Up to 32 hours Talking Time



WH64-DUAL

Yealink DECT Hybrid Wireless Headset

Features:

- DECT & Bluetooth Hybrid Wireless Technology
- Acoustic Shield Technology 2.0
- Plug & Play for Mainstream IP Phones
- Multiple Devices Connection
- All-daywearing Comfort
- Hybrid Visual Busylight
- Up to 32 hours Talking Time



WH66-MONO

Yealink DECT Wireless On-Ear Mono Headset With Touch Screen Base Station

Features:

- 2 x Microphones
- Single Earpiece
- Up to 10 Hours Talk Time
- USB 3.0 Port
- Bluetooth
- 2 port USB Hub
- 4" Colour Touch Screen




WH66-DUO

Yealink DECT Wireless On-Ear Stereo Headset With Touch Screen Base Station

Features:

- 2 x Microphones
- Dual Earpieces
- Up to 10 Hours Talk Time
- USB 3.0 Port
- Bluetooth
- 2 port USB Hub
- 4" Colour Touch Screen



WH67

Yealink DECT Wireless Convertible Headset With Touch Screen Base Station

Features:

- 2 x Microphones
- 4 Wearing Styles
- Call Control on Headset
- Up to 7 Hours Talk Time
- USB 3.0 Port
- Bluetooth
- 2 Port USB Hub



BH70-MONO-USB-C/A

Yealink Mono Bluetooth Headset

Features:

- 3-Mic Noise Cancellation
- Single Earpiece
- HeadsetAll-day-wearing Comfort
- 35mm Custom Speakers Brilliant Audio Quality
- Up to 35 Hours Wireless Battery Life
- Engineered for Minimizing Wind Noise
- Lightweight Design



BH70-DUAL-USB-C/A

Yealink Dual Bluetooth Headset

Features:

- 3-Mic Noise Cancellation
- Dual Earpiece
- HeadsetAll-day-wearing Comfort
- 35mm custom speakers, Brilliant audio quality
- Up to 35 Hours Wireless Battery Life
- Engineered for Minimizing Wind Noise
- Lightweight Design



BH71

Yealink Mono Bluetooth Headset

Features:

- Noise Canceling Microphone Array
- Bluetooth
- Adjustable Earpiece
- Different Sizes of Earbuds for Different Sizes of Ears
- Right or Left Ear Wearing
- Hybrid Working and On-the-go



BH71 PRO USB-C/A

Yealink Mono Bluetooth Headset

Features:

- Noise Canceling Microphone Array
- Bluetooth
- Adjustable Earpiece
- Different Sizes of Earbuds for Different Sizes of Ears
- Right or Left Ear Wearing
- Hybrid Working and On-the-go



BH71 WORKSTATION

Yealink Mono Bluetooth Headset

Features:

- Noise Canceling Microphone Array
- Bluetooth
- Adjustable Earpiece
- Different Sizes of Earbuds for Different Sizes of Ears
- Right or Left Ear Wearing
- Workstation Base
- Hybrid Working and On-the-go



BH71 WORKSTATION PRO USB-C/A

Yealink Mono Bluetooth Headset

Features:

- Noise Canceling Microphone Array
- Bluetooth
- Adjustable Earpiece
- Different Sizes of Earbuds for Different Sizes of Ears
- Right or Left Ear Wearing
- Workstation Base
- Hands Free Speakerphone



BH74 TEAMS USB-C/A

Yealink BH74 Dual Bluetooth Headset

Features:

- Hybrid Acitive Noise Cancellation
- 4-Mic Noise Cancellation, Certified for Microsoft Teams Premium Open Office
- Cloud-like Comfort
- 32 Hours Talk Time
- 50-meter Connection Range
- High-density Deployments
- Adaptive EQ



BH76

Yealink On-ear Headset With Active Noice Cancellation

Features:

- Retractable Hidden Microphone Arm
- Multiple Microphones Acoustic Shield Technology
- 4 Levels of Active Noise Cancellation
- Qi Wireless Charging Stand
- Dual-side Busylight for Full Visible Angles
- Up to 40 Hours Wireless Battery Life



BH76-STAND

Yealink Headset With Wireless Charging Stand

Features:

- Retractable Hidden Microphone Arm
- Multiple Microphones Acoustic Shield Technology
- 4 Levels of Active noise Cancellation
- Qi Wireless Charging Stand
- Dual-side Busylight for Full Visible Angles
- Up to 40 Hours Wireless Battery Life



BH76-PLUS-USB C/A

Yealink Over-ear Bluetooth Headset

Features:

- Retractable Hidden Microphone Arm
- Multiple Microphones Acoustic Shield Technology
- 4 Levels of Active Noise Cancellation
- Qi Wireless Charging Stand
- Dual-side Busylight for Full Visible Angles
- Flexible Switch Between On-ear and Over-ear
- Up to 40 Hours Wireless Battery Life



NEATBOARDPRO-SE

Neat Board Pro - 65" Collaboration & Touch Screen Device Designed for Zoom and Microsoft Teams

Features:

- 65-inch capacitive multi-touch LED screen
- Ultra HD 4K (3840 x 2160 screen resolution)
- 16:9 aspect ratio
- Anti-glare and anti-fingerprint coating
- Camera LED
- System LED
- Ambient light sensor



NEATBOARD50-SE

Neat Board 50 - Collaboration & Active Touch Screen Device

Features:

- Screen Size: 50"
- Designed for the Flexible Future of Work.
- Unique Adaptability.
- Resolution: 4K.
- 5-Microphone End-Fire Array.
- 113 Degree Wide Angle Area.
- 50MP Capture Resolution.



NEATBAR2-SE

Neat Bar 2 - 2nd Generation Collaboration Bar

Features:

- 113° Field of View
- 4x Digital Zoom
- Opposing Drivers
- Dual Screen Support
- 50 MP Sensor Resolution
- 5 Mic Array
- Wi-Fi



NEATBARPRO-SE

Neat Bar Pro - Collaboration Bar Designed For MS TEAMS

Features:

- Wakeup Sensor (Radar)
- Depth Sensor (Time-of-flight VGA 60° FOV)
- Orientation Sensor (Accelerometer)
- Ambient Light Sensor
- Sensors for Temperature, Humidity, and Air Quality (*)
- Camera LED
- System LED



NEATCENTER-SE

Neat 360° Companion Device Extending Neat Symmetry

Features:

- 3 Cameras 360-degree View
- 16 Microphones
- LED Ring Status Indicator
- Security Lock Slot (Kensington Compatible)
- Orientation Sensor (Accelerometer)
- Flexible Mounting
- Tripod Mount Compatible (1/4-20 UNC Threads)



NEATFRAME-SE

Neat Frame Personal Video Meeting Device

Features:

- 15.6-inch Capacitive Multi-touch LED Screen
- 450 NITS Screen
- Resolution 1080×1920, 60Hz
- 9:16 Aspect Ratio
- Anti-glare and Anti-fingerprint Coating
- Camera LED
- System LED




NEATPAD-SE

Neat Pad - Controller / Scheduling Display

Features:

- 8-inch (diagonal) Touch Screen
- 1280 × 800 Screen Resolution
- 16:10 Aspect Ratio
- Speakers for ultrasound (*)
- 2 Microphones (**)
- Accelerometer
- Wall Mount and Side Mount
- Security Lock Slot (Kensington Compatible)



NEATBOARD-WALLMOUNT

Neat Board - Wall Mount

Features:

- Horizontal Orientation
- Includes VESA Wall Plate, 4 x 0.3”



NEATBOARD-FLOORSTAND

Neat Board - Rolling Floor Stand

Features:

- Neat Board
- Rolling Floor Stand with Optional Wheels
- Wall Mount or Table Stand
- Width: 45.5 Inches
- Height: 35.4 Inches
- Depth: 9.5 Inches
- Weight: 45 Pounds

DID YOU KNOW?

Neat Board Pro delivers a vivid display of power through a 65-inch multi-touch screen and naturally adaptive, far-reaching audio and video for immersive meeting experiences in one elegant device.



NEATBOARDPRO-ADAPTIVE-STAND

Neat Board Pro - Adaptive Stand

Features:

- Adaptive Stand Offers Flexibility with Easy Movement Between Spaces and Adjustable Screen Height
- Ensuring Comfortable Viewing and Efficient Meetings



NEATBOARDPRO-ADAPTIVE-MOUNT

Neat Board Pro - Adaptive Mount

Features:

- Securely Position the Board Pro Close to the Wall for a Sleek Look
- Easy Vertical Adjustment Ensures Optimal Viewing Angles and Comfort in Any Room Setup



NEATBOARDPRO-WALLMOUNT

Neat Board Pro - Wallmount

Features:

- Simple Wall Mount for Board Pro
- VESA Compatible





NX32 LITE

Small PBX Appliance Powered By 3CX

Features:

- 3CX Software Pre-loaded
- Ideal for Up to 48 Simultaneous Calls
- Up to 150 Extensions
- Debian Linux Operating System
- Easily Converts to a Session Border Controller (SBC)
- 6GB RAM; 32GB Hard Disk Drive
- Lightweight Casing



NX96(B)

Medium PBX Appliance Powered By 3CX

Features:

- 3CX software Pre-loaded
- Ideal for Up to 64 Simultaneous Calls
- Up to 250 Extensions
- Debian Linux Operating System
- Easily Converts to a Session Border Controller (SBC)
- 8GB RAM; 1TB SSD Storage
- 2x Gigabit Ethernet LAN



NX256

Large PBX Appliance Powered By 3CX

Features:

- 3CX Software Pre-loaded
- Ideal for Up to 256 Simultaneous Calls
- Up to 800 Extensions
- Debian Linux Operating System
- Easily Converts to a Session Border Controller (SBC)
- 16GB RAM; 1TB SSD Storage
- 2x Gigabit Ethernet LAN



960-001360

Logitech C920e 1080p Webcam

Features:

- Full HD, 1080p Camera
- 3 Megapixel
- Dual Microphones
- Privacy Shutter
- RightLight 2 - Auto Light Correction



960-001076

Logitech C925e Business Webcam

Features:

- Full HD, 1080p Camera
- 3 Megapixel
- Dual Microphones
- Integrated Privacy Shutter
- 1.2x Digital Zoom
- RightLight 2 - Auto Light Correction



960-000972

Logitech C930e Business Webcam

Features:

- Full HD, 1080p Camera
- 3 Megapixel
- Dual Microphones
- Privacy Shutter
- 4x Digital Zoom
- RightLight 2 - Auto Light Correction



960-001106

Logitech Brio Ultra-HD 4K Pro Business Webcam

Features:

- Full HD, 1080p Camera
- 13 Megapixel
- Integrated Microphone
- Privacy Shutter
- 5x Digital Zoom
- RightLight 3 - Auto Light Correction
- Made with Recycled Plastic



960-001592

Logitech Brio 105 Business Webcam

Features:

- Full HD, 1080p Camera
- 2 Megapixel
- Integrated Microphone
- Integrated Privacy Shutter
- RightLight 2 - Auto Light Correction
- Made with Recycled Plastic



960-001469

Logitech Brio 305 Full HD 1080p Business Webcam

Features:

- Full HD, 1080p Camera
- 2 Megapixel
- Integrated Microphone
- Integrated Privacy Shutter
- RightLight 2 - Auto Light Correction
- Made with Recycled Plastic
- Certified for Microsoft Teams and Zoom

logitech

UNIFIED COMMUNICATIONS & COLLABORATION

Web Cameras

Video Conferencing



960-001530

Logitech Brio 705 Full HD 1080p Business Webcam

Features:

- Brilliant Clarity with AI
- Superior Image Quality
- More Natural Colour
- Always in Focus
- Designed for Sustainability
- Intelligent Meeting Experiences

Meeting Rooms

Video Conferencing



960-001057

Logitech Group Affordable Video Conferencing System

Features:

- Full HD, 1080p Camera
- 10x Optical Zoom
- Pan-Tilt-Zoom
- Full Duplex Speakerphone
- Acoustic Echo Cancellation
- 6m Microphone Pickup Range
- Plug and Play



960-001102

Logitech MeetUp All-In-One Conference Cam

Features:

- All-in-One Design
- Full HD, 1080p Camera
- 5x Optical Zoom
- Pan-Tilt-Zoom
- Integrated Speaker
- Integrated Beamforming Microphone
- Acoustic Echo Cancellation
- 4m Microphone Pickup Range



960-001681

Logitech MeetUp 2 All-In-One Conference Cam

Features:

- Built-in Components
- 6 DMIC microphone array
- Digital PTZ camera
- 1 full range ported speaker
- Cable management & retention system
- Multi-mount
- Logitech CollabOS platform
- Logitech RightSight 2

NOLOGY

Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:



960-001341

All-in-one Video Bar for Small To Medium Rooms

Features:

- Everyone is Seen and Heard Clearly
- Works with Leading Video Platforms
- Quick to Set Up, Easy to Manage
- Noise Suppression: AI Filter
- USB 3.0: 3x Type A, 1x Type C
- Network: 10/100/1G Ethernet
- WiFi: 802.11a/b/g/n/ac (MIMO)



960-001313

Logitech Rally Bar All-In-One Video Bar

Features:

- Everyone is Seen and Heard Clearly
- Work with Leading Video Platforms
- Quick to Set Up, Easy to Manage



960-001240

Logitech Rally Premier Modular Video Conferencing

Features:

- Exceptional Video Quality
- Adaptive Pan, Tilt and Zoom
- Sleek Industrial Design
- Advanced Modular Audio
- Front-of-Room Audio
- Up to 7 Mic Pods
- Smart Cabling and Content Sharing




960-001242

Logitech Rally Plus Premier Modular Video Conferencing System

Features:

- Exceptional Video Quality
- Adaptive Pan, Tilt and Zoom
- Sleek Industrial Design
- Advanced Modular Audio
- Front-of-Room Audio
- Up to 7 Mic Pods
- Smart Cabling and Content Sharing



Logitech Rally Plus is the modular video conferencing system for large and extra large rooms. Discover integrated, simple, modular video conferencing with best-in-class optics and audio

logitech

VIDEO COLLABORATION

FOR THE HYBRID WORKFORCE



Logitech® supports hybrid work with video collaboration solutions that create equitable meeting experiences for everyone. We help people and teams work better together from anywhere without compromising on quality, productivity, or the creativity that comes from collaboration.



960-001510

Logitech Sight Tabletop Companion Camera

Features:

- 315° Video Capture
- Directional Mic Pickup
- Mic Mute Controls
- Indicator Lights
- Magnetic Privacy Shade
- Included Mounts for a Secure Install



939-001950

Logitech Tap Touch Controller With Cat5e Kit

Features:

- One-touch Join
- 10.1" Touch Display
- Sleek, Low Profile
- Always-on Readiness
- Headphone Jack
- Dual Cable Exits
- Clean Cable Management



952-000085

Logitech Tap IP - Graphite

Features:

- One-touch join
- 2 10.1" Touch Display
- Motion Sensor
- Sleek, Low Profile
- Single PoE Cable
- Clean Cable Management
- Multiple Mounting Optionsn



960-001332

Logitech Scribe Whiteboard Camera For Video Conferencing Rooms

Features:

- Works with Any Whiteboard
- One-Touch to Share
- Presenter Removal
- Content Enhancement
- Sticky Note Detection
- Wall Mounting
- Cable Management

DID YOU KNOW?

You can effortlessly share whiteboards into video meetings with Logitech Scribe, an AI-powered whiteboard camera for Microsoft Teams Rooms, Zoom Rooms, and Google Meet Rooms, and other leading video conferencing services.



981-000575

Logitech H570e Stereo USB Headset

Features:

- Adjustable padded headband
- In-line controls
- Acoustic echo cancellation and noise-cancelling microphone



981-000519

Logitech H650e Professional USB Headset Stereo

Features:

- Enterprise-grade audio
- Intuitive in-line controls
- On-call busy light
- No-tangle cable
- Designed for business



981-001157

Logitech Zone Vibe Wireless Bluetooth Headset

Features:

- Certified for video conferencing
- Powerful yet lightweight
- Wireless and reliable



981-000854

Logitech Zone Wireless Bluetooth Headset

Features:

- Great for open workspaces
- Convenient controls
- Simple connect to multiple devices



981-001451

Logitech Zone 305 Bluetooth Headset, inclucding Bluetooth Dongle

Features:

- Certified Audio, With Or Without Receiver
- Built For Business
- Clear Calls
- Lightweight Comfort
- More Recycled Material. Lighter Footprint
- Move Around Freely With No Interruption

HUAWEI

UNIFIED COMMUNICATIONS & COLLABORATION

Displays

Video Conferencing



IDEAHUB-S2

Huawei IdeaHub S2

Features:

- BYOM
- Wi-Fi 6 for Direct Projection
- Collaboration Unbounded
- Professional-Level 4K Video Camera
- AI-powered Audio and Video
- Intelligent Whiteboard



IDEAHUB-B2

Huaweia IdeaHub B2

Features:

- All-in-One Design
- Multi-Platform Cloud Conferencing
- Dual Wi-Fi Projection, Stable and Fast
- Intelligent Whiteboard for Smooth Writing
- Customizable HiBoard and Bulletin Board
- IdeaManager: Comprehensive O&M Platform



IDEAHUB-B3

Huawei IdeaHub B3

Features:

- BYOM
- AI-Powered Audio and Video
- Smart Office Collaboration
- Professional-Level 4K Video Camera
- Enterprise-Level Information Security
- Collaboration Unbounded

NOLOGY

Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:

Register as a Nology reseller today and get access to:

- Product training
- Industry leading products and services
- Technical support
- Marketing assistance
- New product announcements
- Monthly promotions
- Flexible payment terms
- Convenient online ordering portal

HUAWEI IdeaHub

New Style, Smart Office

IdeaHub S2	IdeaHub B2	IdeaHub B3
65” 75” 86”	65” 75” 86”	65” 75” 86”





Superb Interactive Whiteboard

Professional Video Conferencing

Prosperous Cloud Ecosystem



NETWORKING

A network connects computers, mobile phones, peripherals, and even IoT devices. Most organisations today require strong networking hardware and infrastructure that is robust, future-proof and secure.

Nology's business networking portfolio covers technologies including Switches, Wi-Fi and Cyber Security. Our connectivity portfolio includes Fibre and Ethernet routers, LTE and 5G (FWA) Routers, Fibre and Wireless Infrastructure solutions.

- Switches
- Business Wi-Fi
- Routers
- Accessories
- Wireless
- Fixed Wireless Access
- Security Gateways
- Fibre

Nology Catalogue Volume 5 | Copyright © 2025 Nology (Pty) Ltd

Routers



H3601N

ZTE AX1500 Dual-Band Wi-Fi 6 Cost-Effective Router

Features:

- 1 x Gigabit Ethernet WAN
- 3 x Gigabit Ethernet LAN
- Wi-Fi 6 up to 1500 Mbps
- Standardised EasyMesh Multi-AP Network
- Self-healing Improves Network Robustness
- Robust Remote Management Via TR-069 Protocol
- MU-MIMO and OFDMA Bring Better Concurrency and Higher Bandwidth



H3601P (EXT/INT)

ZTE AX3000 Dual-Band Wi-Fi 6 Router

Features:

- 1 x Gigabit Ethernet WAN
- 3 x Gigabit Ethernet LAN
- Wi-Fi 6 up to 3000 Mbps
- Standardised EasyMesh Multi-AP Networking
- Self-healing Improves Network Robustness
- Robust Remote Management Via TR-069 Protocol
- Available with External or Internal Antennas

Mobile Access/Fixed Wireless



G5C

ZTE G5C 5G Indoor Router

Features:

- Wi-Fi 6 up to 1800 Mbps
- 1 x Gigabit Ethernet WAN
- 1 X Gigabit Ethernet LAN
- Qualcomm Snapdragon X62
- 5G router NSA and SA Dual Mode
- Mobile Network Approved for FWA



MC889

ZTE 5G Outdoor CPE

Features:

- Outdoor 5G Router
- IP65 dust-proof and waterproof
- 1 x 2.5 Gigabit Ethernet LAN
- PoE Support
- 6.5dBi High Gain Antenna
- Mobile Network Approved for FWA



MF296C

ZTE 4G LTE Wireless Router

Features:

- 1 x Gigabit Ethernet WAN
- 3 x Gigabit Ethernet LAN
- 1 x SIM Slot
- 1 x RJ11 (FXS)
- Wi-Fi 5 up to 867 Mbps
- Mobile Network Approved for FWA



GS1008-HP

Zyxel 8-Port PoE Switch

Features:

- 8 X Gigabit Ethernet LAN
- 8 x PoE+ Ports, up to 30W Per Port
- Total PoE budget: 60W
- Auto-MDI/MDIX in All Ports
- EEE802.3x Flow Control
- IEEE 802.1p QoS
- Jumbo Frame Support up to 9KB



GS1200-5HPV2

Zyxel 5-Port GbE Web Managed PoE Switch

Features:

- 5 x Gigabit Ethernet LAN
- 4 x PoE Ports (IEEE802.3at PoE+) 70-watt
- Easy Browser-based Switch Management
- Port Based QOS
- VLAN Functionality



GS1200-8HPV2

Zyxel 8-Port GbE Web Managed PoE Switch

Features:

- 8 x Gigabit Ethernet LAN
- 4 x PoE Ports (IEEE802.3at PoE+) 70-watt
- Easy Browser-based Switch Management
- Port Based QOS
- Loop Detection
- VLAN Functionality



GS1900-8HP

Zyxel 8-Port GbE Smart Managed PoE Switch

Features:

- 8 X Gigabit Ethernet LAN
- 8 x PoE Ports (IEEE802.3at PoE+) 70-watt
- Easy Browser-based Switch Management
- Green Ethernet IEEE 802.3az
- Support and Intelligent Zyxel Green Features
- Fanless Design
- Quick and Easy Set up Wizard



GS1900-10HP

Zyxel 8-Port GbE PoE Smart Managed Switch

Features:

- 8 x Gigabit Ethernet LAN
- 2 x SFP (100/1000) Mbps
- Total PoE Budget: 77W
- Auto-MDI/MDIX in All Ports
- EEE802.3x Flow Control
- IEEE 802.1p QoS
- Jumbo Frame Support up to 9KB



Zyxel 24-Port GbE Smart Managed PoE Switch

Features:

- 24 x Gigabit Ethernet LAN
- 2 x SFP Slot (GbE)
- Total PoE Budget (Watts): 170W
- Easy Browser-based Switch Management

GS1900-24HP



Zyxel Smart Managed 8-Port PoE Switch

Features:

- 8 x Gigabit Ethernet LAN
- Smart Managed
- Total PoE Budget (Watts) : 60W
- Switching Capacity : 16Gbps

nebula

GS1915-8EP



Zyxel Smart Managed 24-Port Switch

Features:

- 24 x Gigabit Ethernet LAN
- Smart Managed
- Switching Capacity : 48Gbps

nebula

GS1915-24E



Zyxel Smart Managed 24-Port PoE Switch

Features:

- 24 x Gigabit Ethernet LAN
- 24-port GbE Smart Managed PoE Switch
- Smart Managed
- Total PoE Budget (Watts) : 130W
- Switching Capacity : 48Gbps

nebula

GS1915-24EP



Zyxel Smart Managed 8-Port PoE Switch

Features:

- 8 x Gigabit Ethernet LAN
- Smart Managed
- 2 x Gigabit Combo (RJ45 / SFP)
- Total PoE Budget (Watts) : 130W
- Switching Capacity : 20Gbps

nebula

GS1920-8HPV2

ZYXEL

NETWORKING

Switches

Zyxel Smart Managed 24-Port PoE Switch



GS1920-24HPV2

Features:

- 24 x Gigabit Ethernet LAN
- Smart Managed
- 4 x Gigabit Combo (RJ45 / SFP)
- Total PoE budget (Watts) : 375W
- Switching Capacity : 56Gbps

nebula

Zyxel Smart Managed 48-Port PoE Switch



GS1920-48HPV2

Features:

- 44 x Gigabit Ethernet LAN
- Smart Managed
- 4 x Gigabit Combo (RJ45 / SFP)
- 2 x Gigabit SFP
- Total PoE Budget (Watts) : 375W
- Switching Capacity : 100Gbps

nebula

Security Gateways

Zyxel USG Flex Firewall



USGFLEX100

Features:

- 4 x LAN/DMZ,1 x WAN, 1 x SFP
- USB3.0 Ports: 1
- Console Port: DB9
- Rackmountable: No
- SPI Firewall Throughput 900Mbps
- VPN Throughput (Mbps): 270Mbps
- VPN IMIX Throughput (Mbps): 100Mbps

nebula

Zyxel USG Flex Firewall



USGFLEX200

Features:

- 4 x LAN/DMZ, 2 x WAN, 1 x SFP
- USB3.0 Ports: 2
- Console Port: DB9
- Rackmountable: Yes
- SPI firewall throughput 1,800Mbps
- VPN Throughput (Mbps): 450Mbps
- VPN IMIX Throughput (Mbps): 160Mbps

nebula

NOLOGY

Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:

nebula



Unlock Networking Possibilities with Cloud

Nebula Cloud Networking and Management Solution



Experience a live demo: https://nebula.zyxel.com

ZYXEL

Business Wi-Fi



NWA50AX

Zyxel 802.11AX (Wi-Fi 6) PoE AP With Cloud Managed Functionality

Features:

- MU-MIMO
- Datarate: 2.4GHz: 575Mbps and 5GHz: 1200Mbps
- Antenna Type: 2x2 MIMO optimised Antenna
- Band Steering: Yes
- WDS/Mesh: Yes
- Load balancing: Yes

nebula



NWA110AX

Zyxel 802.11AX (Wi-Fi 6) PoE AP With Cloud Managed Functionality

Features:

- MU-MIMO
- Datarate: 2.4GHz: 575Mbps and 5GHz: 1200Mbps
- Antenna Type: 2x2 MIMO optimised Antenna
- Band Steering: Yes
- WDS/Mesh: Yes
- Load balancing: Yes

nebula



NWA210AX

Zyxel 802.11AX (Wi-Fi 6) PoE AP With Cloud Managed Functionality

Features:

- MU-MIMO
- Datarate: 2.4GHz: 575Mbps and 5GHz: 2400Mbps
- Antenna type: 4x4 + 2x2 MIMO embedded antenna
- Band Steering: Yes
- WDS/Mesh: Yes
- Load Balancing: Yes

nebula

Routers



EMG3525-T50C

Zyxel Dual-Band Wireless Ethernet Gateway

Features:

- 1 x Gigabit Ethernet WAN
- 4 x Gigabit Ethernet LAN
- Wi-Fi 5 up to 1200 Mbps
- EasyMesh Standards



EX3500-T0

Zyxel Dual-Band Wi-Fi 6 Router

Features:

- 1 x Gigabit Ethernet WAN
- 4 x Gigabit Ethernet LAN
- Wi-Fi 6 up to 3000 Mbps
- EasyMesh Standards



RBCAP2ND

MikroTik CAP-2nD Dual-Chain Ceiling Access Point

Features:

- 1 x Fast Ethernet LAN
- CPU nominal Frequency 650 MHz
- Wi-Fi 802.11b/g/n
- PoE in : 802.3af/at



RBCAPGI-5ACD2ND

MikroTik CAP Ac Dual-Band Wireless Access Point

Features:

- 2 x Gigabit Ethernet LAN
- CPU : 716MHz (ARM 32bit / 4 x Core)
- Dual-Band (2.4GHz and 5GHz)
- Wi-Fi Standards : 802.11a/b/g/n/ac
- 128MB RAM
- PoE In (802.3af/at)



RBD25G-5HPACQD2HPND

MikroTik Tri-band PoE Mesh AP

Features:

- 2 x Gigabit Ethernet LAN
- CPU: 4 core IPQ-4019 716 MHz
- RAM: 256 MB
- Storage: 128 MB
- PoE in: 802.3af/at 24 - 57 V



RB952UI-5AC2ND

MikroTik HAP Ac Lite Router

Features:

- 5 X Fast Ethernet LAN
- Wi-Fi Dual Band 11ac
- 650MHZ CPU
- 64MB RAM
- USB Port for 3G/LTE USB Modem



RB962UIGS-5HACT2HNT

MikroTik HAP Ac Router

Features:

- 5 x Gigabit Ethernet LAN
- Wi-Fi Dual Band 11ac
- 1 x SFP Cage (SFP not included)
- 720MHZ CPU
- 128MB RAM
- POE in & POE Out
- USB Port for 3G/4G Modem



RB951G-2HND

MikroTik RB951G Router

Features:

- 5 X Gigabit LAN
- Atheros AR9344 600MHz CPU
- Gigabit, USB, 2GHz, 802.11n, Dual Chain
- 128MB DDR2 On-board Memory
- PoE: 8-30V DC on Ether1 (Non 802.3af). Jack: 8-30V DC



RB951UI-2HND

MikroTik RB951Ui-2HnD Router

Features:

- 5 x Fast Ethernet LAN
- Atheros AR9344 600MHz CPU
- USB, Power Injector, USB, 2GHz, 802.11n, Dual Chain
- 128MB DDR2 On-board Memory
- PoE: 8-30V DC on Ether1 (Non 802.3af). Jack: 8-30V DC
- Dimensions (cm) 315 x 215 x 66 mm (Without Bracket)




RB941-2ND-TC

MikroTik HAP Lite 2.4GHz Wi-Fi Router

Features:

- 4 x Fast Ethernet LAN
- 650MHz CPU
- 32MB DDR RAM
- 2.4GHz 802.11b/g/n




RB750R2

MikroTik HEX Lite Desktop Router - ViBE Compatible

Features:

- 4 x Fast Ethernet LAN
- QCA9531-BL3A-R 850MHz CPU
- 32MB DDR SDRAM On-board Memory
- 64MB On-board NAND Memory Chip
- Power Over Ethernet: 9-28V DC (Except Power Over Datalines)




RB750GR3

MikroTik HEX Desktop Gigabit Router - ViBE Compatible

Features:

- 5 X Gigabit Ethernet LAN
- 880MHz CPU
- 256MB RAM
- 1 x USB port
- POE In

Nology Catalogue Volume 5 | Copyright © 2025 Nology (Pty) Ltd




RB750UPR2

MikroTik HEX PoE Lite - Desktop Router

Features:

- 5 x Fast Ethernet LAN
- 650MHZ CPU
- 64MB RAM
- PoE In & Out
- USB 2.0



RB960PGS

MikroTik HEX PoE - Desktop Router

Features:

- 5 x Fast Ethernet LAN
- 1 x SFP Port
- 800MHZ CPU
- 128MB RAM
- PoE In (Passive) & Out (802.3af/at)
- USB Type A



RB760IGS

MikroTik HEX S 5 GbE Router

Features:

- 5 x Gigabit Ethernet LAN
- 1 x SFP Port
- PoE-out: 1 (Eth 5)
- Size of RAM: 256MB
- Storage Size: 16MB
- IPsec Hardware Acceleration
- Memory Cards: 1 (microSD)



RBFTC11

MikroTik Fibre To Copper Converter

Features:

- 1 x Gigabit Ethernet LAN with POE In Support
- 1 x SFP Slot (SFP Module Not Included)
- Outdoor Waterproof Case
- Comes with PoE Injector and Power Supply
- Works Only with Gigabit SFP Connections



RB3011UIAS-RM

MikroTik Rack Mount Multi-Port Gigabit SFP Router


Features:

- 10 x Gigabit Ethernet LAN
- 1U Rackmount Metal Case with Touchscreen LCD
- 1 x SFP Cage (SFP not Included)
- 1.4GHz CPU, 1GB RAM
- USB 3.0 Port (Full Size)
- PoE in & POE Out (On Port 10)
- RouterOS L5

MIKROTIK

L009UiGS-2HaxD-IN

Time to upgrade your RB2011 setups: more features & better performance for the same low price!



Up to **4** times the RAM
Fit up to **4** times faster than RB2011!
4 units in a single 1U rack space!

...more than just a router!

- INNOVATIVE ENCLOSURE THAT ACTS AS A MASSIVE HEAT-SINK
- MODERN DUAL-CORE ARM CPU
- POWERFUL 2.4 GHZ AX DUAL-CHAIN WIRELESS
- 8X GIGABIT ETHERNET PORTS
- SFP CAGE WITH 2.5G SUPPORT
- USB 3.0
- CONSOLE PORT
- 512 MB RAM
- POE-IN & POE-OUT
- CONTAINER SUPPORT

With simple accessories, you can mount FOUR of these routers in a single 1U rackmount space!



L009UIGS-2HAXD-IN

MikroTik L009UiGS With 8 x Gb LAN Ports

Features:

- 8 x Gigabit Ethernet LAN
- Dual-Core IPQ-5018 800 MHz
- ARM 64bit (RouterOS 32bit)
- 512MB RAM
- Storage: 128 MB, NAND
- 1 x SFP Port (2.5G Supported)



L009UiGS-RM

MikroTik L009UiGS With 8 x Gb LAN Ports Rack Mount

Features:

- 8 x Gigabit Ethernet LAN
- Dual-Core IPQ-5018 800 MHz
- ARM 64bit (RouterOS 32 bit)
- 512MB RAM
- Storage: 128 MB, NAND
- 1 x SFP Port (2.5G Supported)



RB952UI-5AC2ND-TC

MikroTik RB952Ui-5ac2nD Tower Casing (HAP Ac Lite)

Features:

- 5 x Fast Ethernet LAN
- Dual-Band Wi-Fi 2.4/5GHz
- 650MHZ CPU
- 64MB RAM
- USB Port for 3G/4G Modem4



RBD52G-5HACD2HND-TC

MikroTik hAP ac² Dual Band Router

Features:

- Dual-Band Wi-Fi 2.4/5GHz
- Wi-FI 5
- 5 x Gigabit Ethernet LAN
- USB for 3G/4G Support
- IPsec Hardware Encryption Support



RBD53IG-5HACD2HND

MikroTik HAP AC3 Wireless Dual-Band Router

Features:

- 5 x Gigabit Ethernet LAN
- 1 x POE-Out
- 256MB RAM
- Storage Size: 128MB
- IPsec Hardware Acceleration
- Wi-Fi 5
- USB Port (type A)



RB4011IGS+RM

MikroTik Desktop Quad-Core Gigabit SFP Router

Features:

- 10 x Gigabit Port LAN
- Quad-Core 1.4Ghz CPU
- 1GB RAM
- 1 x SFP+ Cage (SFP Module not Included)
- Desktop Case with Rack Ears



RB1100DX4

MikroTik Rack Mount Gigabit Router – Dude Edition

Features:

- 13 x Gigabit Ethernet LAN
- AL21400 with 4 x Cores
- 1GB RAM
- IPsec Hardware Acceleration
- RouterOS (License Level 6)
- 1 x MicroSD



RB1100AHX4

MikroTik Rack Mount Gigabit Router

Features:

- 13 x Gigabit Ethernet LAN
- AL21400 with 4 x Cores
- 1GB RAM
- IPsec Hardware Acceleration
- Operating System RouterOS (License Level 6)
- 1 x MicroSD



CCR2004

MikroTik CCR2004-1G-12S+2XS Router

Features:

- 1 x Gigabit Ethernet LAN
- 12 x SFP+ Ports
- 2 x 25G SFP28 ports
- AL32400 ARM
- 4GB RAM
- Storage size: 128 MB



CCR2116

MikroTik CCR2116-12G-4S+ Router

Features:

- 13 x Gigabit Ethernet LAN
- 4 x SFP+ Ports
- 16GB RAM
- Storage size: 128 MB
- Max power consumption: 83 W

Fixed Wireless Access



S53UG+5HaxD2HaxD-TC&FG621-EA

MikroTik Chateau LTE6 ax With 5 X GbE Ethernet Ports

Features:

- Powerful 1.8 Ghz Quad-core Arm Cpu
- Strong Dual-band, Dual-chain Radio For Maximum Coverage
- Fast and Responsive LTE Category 6 Modem
- Container Support
- 4x Gigabit Ethernet
- 1GB RAM



RBD53G-5HACD2HND-TC&EG12-EA

MikroTik Chateau LTE12 With 5 X GbE Ethernet Ports

Features:

- 5 x Gigabit Ethernet LAN
- LTE Category 12 (600Mbps Downlink, 150Mbps uplink)
- IPQ-4019 716MHz
- 256MB RAM
- IPSec Hardware Acceleration: Yes
- Wi-Fi 4



RBwAPR-2nD&R11e-LTE

MikroTik wAP LTE Kit

Features:

- 1 x Fast Ethernet LAN
- QCA9531
- 64GB RAM
- Storage: 16 MB
- PoE-IN Compatible
- Wi-Fi 4

Wireless



MTAD-5G-30D3-PA

MikroTik mANT30 Parabolic Dish Antenna

Features:

- Compact and Light 5GHz 802.11 a/n Wireless Device
- Integrated Dual Polarization 30 dBi Antenna
- Perfect for Point to Point OR for Use as a CPE
- PoE-IN (Bundled with POE Injector)



RBLHG-5ND

MikroTik Point-to-Point Integrated Antenna

Features:

- Compact and Light 5GHz 802.11 a/n Wireless Device
- Integrated Dual Polarization 24.5 dBi Grid Antenna
- Perfect for point to point OR for use as a CPE
- PoE-IN (Bundled with POE Injector)



S-85DLC05D

MikroTik SFP (1.25G) Module, 550m, Multi-Mode

Features:

- Mode: Multi Mode
- Data Rate: 1.25G
- Distance: 550m
- Wavelength: 850nm
- Connector: Dual LC



S-31DLC20D

MikroTik SFP (1.25G) Module, 20KM, Single Mode

Features:

- Mode: Single Mode
- Data Rate: 1.25G
- Distance: 20km
- Wavelength: 1310nm
- Connector: Dual LC
- RouterOS L5



S-RJ01

MikroTik SFP (1.25G) Module, 100M, RJ45

Features:

- Connector: RJ45
- Data Rate: 1.25G
- Distance: 100m



S+85DLC03D

MikroTik SFP+ (10G) Module, 300m, Multi Mode

Features:

- Mode: Multi Mode
- Data Rate: 10G
- Distance: 300m
- Wavelength: 850nm
- Connector: LC



XS+31LC10D

MikroTik SFP+/SFP28 Module, 10KM, Single Mode

Features:

- Mode: Single Mode
- Data Rate: 1G / 10G / 25G
- Distance: 10km
- Wavelength: 1310nm
- Connector: Dual LC



TL-SG3210

TP-Link 8-Port Gigabit Smart Switch With PoE+ And 2 x SFP

Features:

- 8 x Gigabit Ethernet LAN
- 2 × Gigabit SFP Slots
- 1 × RJ45 Console Port
- 1 × Micro-USB Console Port
- Rack Mountable / Desktop
- 100-240 V AC ~ 50/60 Hz
- Switching Capacity: 20Gbps



TL-SG2428P

TP-Link 24-Port Gigabit Smart Switch With PoE+

Features:

- 24 x Gigabit Ethernet LAN
- 4 × Gigabit SFP Slots
- Standard: 802.3at/af Compliant
- PoE+ Ports: 24 Ports
- Power Supply: 250W
- Rack Mountable
- Bandwidth/Backplane 56Gbps



TL-SG3428

TP-Link 24-Port Gigabit L2+ Managed Switch With 4 x SFP Slots

Features:

- 24 x Gigabit Ethernet LAN
- 4× Gigabit SFP Slots
- 1× RJ45 Console Port
- 1× Micro-USB Console Port
- Rack Mountable
- Switching Capacity: 56 Gbps
- Power Supply: 100-240 V AC~50/60 Hz



TL-SG3428X

TP-Link 24-Port Gigabit L2+ Managed Switch With 4 x 10GE SFP + Slots

Features:

- 24 x Gigabit Ethernet LAN
- 4× 10G SFP+ Slots
- 1× RJ45 Console Port
- 1× Micro-USB Console Port
- Rack Mountable
- Power Supply: 100-240 V AC~50/60 Hz
- Switching Capacity: 128 Gbps



TL-SG2210MP

TP-Link 8-Port Gigabit Smart Switch With PoE+

Features:

- 8 x Gigabit Ethernet LAN
- 2 x 1G SFP Slots
- Standard: 802.3at/af Compliant
- PoE+ Ports: 8 Ports
- Power Supply: 150 W
- Rack Mount / Desktop

Fixed Wireless Access



ARCHER MR600

TP-Link LTE-A CAT6 AC1200 Wireless Dual-Band Gigabit Router

Features:

- 1 x Gigabit Ethernet LAN/WAN
- 3 x Gigabit Ethernet LAN
- 1 × Micro SIM Card Slot
- LTE-A Up to 300Mbps Download
- Wireless Standards: IEEE 802.11a/n/ac 5GHz, IEEE 802.11b/g/n 2.4GHz
- Frequency: 2.4GHz and 5GHz
- Mobile Network Approved for FWA



TL-MR100

TP-Link 300Mbps Wireless N LTE Router

Features:

- 1 x Fast Ethernet LAN
- 1 x Fast Ethernet LAN/WAN
- 1 × Micro-SIM Card Slot
- 2 × Detachable 4G/LTE Antennas
- IEEE 802.11b/g/n (300Mbps)
- 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions
- Enable/Disable Wireless Radio, Wireless Schedule, WMM, Wireless Statistics



NX510V

TP-Link 5G AX3000 Wi-Fi6 Telephony Router

Features:

- 3 x Gigabit Ethernet LAN/WAN
- 1 GHz Dual-Core CPU
- 1 RESET/WIFI Multiplex Button & 1 WPS Button
- Internal WIFI Antennas; Optional Internal/external LTE/5G Antennas
- 2.4 GHz and 5 GHz
- 802.11k/v/r; Support EasyMesh

Routers



DECO E4-3

TP-Link Whole Home Mesh Wi-Fi System AC1200 Dual-Band Wi-Fi, Fast Ethernet (3 Pack)

Features:

- Wi-Fi Speeds - AC1200 (5GHz: 867Mbps & 2.4GHz: 300Mbps)
- TP-Link Mesh Technology - Optional Ethernet Backhaul Work Together to Link Deco Units to Provide Seamless Coverage
- 2 × Antennas (Internal) - Multiple Antennas Form a Signal-boosting Array to Cover More Directions and Large Areas
- Beamforming - Concentrates Wireless Signal Strength Towards Clients to Expand Wi-Fi Range
- **Available in 1, 2 and 3 Packs**



DECO M4-3

TP-Link Whole Home Mesh Wi-Fi System AC1200 Dual-Band Wi-Fi, Gigabit Ethernet (3 Pack)

Features:

- Wi-Fi Speeds - AC1200 (5GHz: 867Mbps & 2.4GHz: 300Mbps)
- TP-Link Mesh Technology - Optional Ethernet Backhaul Work Together to Link Deco Units to Provide Seamless Coverage
- 2 × Antennas (Internal) - Multiple Antennas Form a Signal-boosting Array to Cover More Directions and Large Areas
- Beamforming - Concentrates Wireless Signal Strength Towards Clients to Expand Wi-Fi Range
- **Available in 1, 2 and 3 Packs**

Nology Catalogue Volume 5 | Copyright © 2025 Nology (Pty) Ltd

Routers



DECO X20-3

TP-Link Whole Home Mesh Wi-Fi System AX1800 Dual-Band Wi-Fi, 2 x Gigabit Ethernet (3 Pack)

Features:

- Enhanced Whole Home Coverage
- Seamless Roaming
- Connects over 150 Devices
- Faster Wi-Fi 6 Speed
- Greatly Reduced Lag
- **Available in 2 and 3 packs**



DECO X50-3

TP-Link Whole Home Mesh Wi-Fi System AX3000 Dual-Band Wi-Fi, 3 x Gigabit Ethernet (3 Pack)

Features:

- 4× Larger Capacity
- 3× Faster Speed
- 1024-QAM
- HE160 Doubling bandwidth
- Backwards Compatible
- **Available in 2 and 3 packs**

Business Wi-Fi



OC200

TP-Link Omada Cloud Controller

Features:

- 2 x Fast Ethernet LAN
- 1 × USB 2.0 Port for configuration backup
- 1 × Micro USB Port for power
- Power Supply: 802.3af/at PoE or Micro USB DC 5V/1A
- Batch Configuration
- Batch Firmware Upgrading



OC300

TP-Link Omada Hardware Controller

Features:

- 2 x Gigabit Ethernet LAN
- 1× USB 3.0 Port
- Power Supply: 100–240 V~50/60 Hz, 0.6 A
- Up to 500 Omada access points, 100 JetStream switches, and 100 Omada routers*
- Up to 15,000 clients
- Automatic Device Discovery



EAP115

TP-Link N300 Ceiling Mount Access Point

Features:

- 1 x Fast Ethernet LAN
- Physical Security Lock: Kensington Lock Slot
- Power Supply:802.3af PoE or external 9VDC/0.6A power supply
- Power Consumption: 2.8W
- Antenna Type: 2 x Internal 4dBi Omni
- Ceiling or wall mounting (mounting kit included)



EAP225

TP-Link AC1350 Dual Band Ceiling Mount Access Point

Features:

- 1 x Gigabit Ethernet LAN
- 24V Passive PoE (+4,5pins; -7,8pins. PoE Adapter Included)
- Ceiling /Wall Mounting (Kits included)
- 2.4 GHz and 5 GHz
- 5 GHz:Up to 867 Mbps
- 2.4 GHz:Up to 450 Mbps



EAP245

TP-Link AC1750 Dual Band Ceiling Mount Access Point

Features:

- 2 × Gigabit Ethernet (RJ-45) Ports
- 2.4GHz and 5GHz
- 5GHz:Up to 1300Mbps
- 2.4GHz:Up to 450Mbps
- Multiple SSIDs Up to 16 SSIDs, 8 for each band
- Enable/Disable Wireless Radio
- Automatic Channel Assignment



EAP610

TP-Link AX1800 Dual Band Ceiling Mount Access Point

Features:

- 1× Gigabit Ethernet (RJ-45) Port (supports IEEE802.3at PoE)
- 802.3at PoE
- 12 V / 1 A DC (Power Adapter included)
- 1024-QAM
- 4× Longer OFDM Symbol
- OFDMA
- Multiple SSIDs (Up to 16 SSIDs, 8 for each band)



EAP620 HD

TP-Link AX1800 Dual Band Ceiling Mount Access Point

Features:

- 1× Gigabit Ethernet (RJ-45) Port (supports IEEE802.3at PoE and Passive PoE)
- 802.3at PoE
- 48 V Passive PoE
- 1024-QAM
- 4× Longer OFDM Symbol
- OFDMA
- Multiple SSIDs (Up to 16 SSIDs, 8 for each band)



EAP650

TP-Link AX3000 Dual Band Ceiling Mount Access Point

Features:

- 1× Gigabit Ethernet (RJ-45) Port (supports IEEE802.3at PoE)
- 802.3at PoE
- 12V DC (Power Adapter included)
- (EU Version: 12 V / 1.0 A DC. US Version: 12 V / 1.5 A DC)
- 48V Passive PoE
- 1024-QAM
- 4× Longer OFDM Symbol



EAP660 HD

TP-Link AX3600 Dual Band Ceiling Mount Access Point

Features:

- 1× 2.5 Gigabit Ethernet Port (supports IEEE802.3at PoE)
- 802.3at PoE or 12 V DC
- 1024-QAM
- 4× Longer OFDM Symbol
- OFDMA
- Multiple SSIDs (Up to 16 SSIDs, 8 for each band)
- Enable/Disable Wireless Radio



EAP670

TP-Link AX5400 Dual Band Ceiling Mount Access Point

Features:

- 1× 2.5 Gigabit Ethernet (RJ-45) Port (supports IEEE802.3at PoE)
- 12 V / 1.5 A DC
- 1024-QAM
- 4× Longer OFDM Symbol
- OFDMA
- Multiple SSIDs (Up to 16 SSIDs, 8 for Each Band)



EAP225-OUTDOOR

TP-Link AC1200 Dual Band Outdoor Access Point

Features:

- 1x Gigabit Ethernet RJ-45 Port
- 802.3af PoE and 24V Passive PoE(PoE Injector Included)
- Pole/Wall Mount (Mounting Kit Included)
- Multiple SSIDs Up to 16 SSIDs, 8 for Each Band
- Enable/Disable Wireless Radio
- Automatic Channel Assignment
- Transmit Power Control Adjust Transmit Power on dBm




EAP610-OUTDOOR

TP-Link AX1800 Indoor/Outdoor Dual Band Access Point

Features:

- 1× Gigabit Ethernet (RJ-45) Port (Support 802.3at PoE and Passive PoE)
- 48V/0.5A Passive PoE (PoE Adapter Included)
- 1024-QAM
- 4× Longer OFDM Symbol
- OFDMA
- Multiple SSIDs (Up to 16 SSIDs, 8 for Each Band)



The TP-Link AX1800 has professional antennas equipped with high-power amplifiers that utilize WiFi 6 technology to provide strong and expansive wireless coverage to various outdoor environments. The maximum range reaches up to 200 meters over 2.4 GHz band and 300 meters over 5 GHz band* * *.



FLAT-PANEL-ANT-5G-90

Telrad Flat Panel Base Station Antenna

Features:

- Bands: 38, 41, 42, 43, 48 (CBRS)
- Cost-effective, Rugged CPEs
- TD-LTE – 3GPP Release 12, UE Category 13/15
- One Data Port
- 4 DL CA, 2UL CA
- Multiple Antennas Including High Gain
- Easy Installation Optimized for Efficiency



BREEZEAIR-AXE

Telrad BreezeAIR AXE PTP Wireless Radio

Features:

- Point-to-Point and Print-to-Multipoint in 5.x GHz Frequency
- Superior Throughput – up to 2.1Gbps*
- Most Efficient Dynamic Asymmetric TDD Protocol
- Long Range – Up to 130 Km
- Configurable Channel Bandwidth up to 160MHz
- Top Level Security – AES-256 & MAC Level Authentication
- Integrated 23dBi Antenna



BREEZEAIR-AXE-CON

Telrad BreezeAIR AXE PTP Connectorized Wireless Radio

Features:

- Point-to-Point and Print-to-Multipoint in 5.x GHz Frequency
- Superior Throughput – up to 2.1Gbps*
- Most Efficient Dynamic Asymmetric TDD Protocol
- Long Range – Up to 130 Km
- Configurable Channel Bandwidth up to 160MHz
- Top Level Security – AES-256 & MAC Level Authentication
- Radio Only, no Antenna Included



BreezeAirAXE-5-2G-PTMP

Telrad BreezeAir AXE 5.x GHz 2Gbps PTMP Master Unit

Features:

- Superior Net Capacity: 2.1Gbps*
- 5.x GHz Solution
- Most Efficient Dynamic Asymmetric TDD Protocol
- Ultra-low Latency: 2-5ms
- Long Range: Up to 130 Km
- Top-level Security: AES-256 Encryption & MAC Level Authentication
- Unmatched Interference Rejection Via Unique AIS Technology

DID YOU KNOW?

BreezeAir AXE introduces superior dynamic net throughput of 2.1Gbps* combined with ultra-low latency and top-level security @ 5.x GHz.

** Actual throughput dependent on distance, line of sight and other environmental factors.*

Telrad


Get more from wireless.

Big value in a small package

BreezeCOMPACT 1000

Unlicensed LTE Solution

Small and elegant, yet rugged, the all-outdoor, high-capacity 4G broadband base station can be easily mounted on buildings, poles, rooftops, towers – in virtually any deployment scenario with superior NLOS (No Line of Sight) using best in class 4Tx4Rx Radio.




More Efficient
Using the attached antenna offers superior efficiency - with reduced cable loss, lower electricity requirements and single mounting


Quick Installation
Simply assemble the base station and attached antenna on the ground, enabling a quick single unit tower installation.

Cost Effective
Less tower space, lower electricity, shorter cabling, and reduced install time all add up to HUGE cost savings.

Small Footprint
The attached antenna enables the BreezeCOMPACT 1000 to be mounted as one combined unit, taking less tower space.

BreezeWAY 1010
LTE-in-a-box" solution





AP160

Huawei Wi-Fi 6 Wall Plate Access Point

Features:

- Indoor
- 2 x Gigabit Ethernet LAN
- Wi-Fi 6 up to 1.775 Gbps
- Smart Antenna's
- 2 x 2 MIMO



AP361

Huawei Wi-Fi 6 Ceiling Mount Access Point

Features:

- Indoor
- 1 x Gigabit Ethernet LAN
- Wi-Fi 6 up to 1.775 Gbps
- Smart Antenna's
- 2 x 2 MIMO



AP362

Huawei Wi-Fi 6 Ceiling Mount Access Point

Features:

- Indoor
- 1 x Gigabit Ethernet LAN
- Wi-Fi 6 up to 2.9 Gbps
- Smart Antenna's
- 2 x 2 MIMO



AP371

Huawei Wi-Fi 7 Ceiling Mount Access Point

Features:

- Indoor
- Dual Radio
- 2*2 MU-MIMO
- 1*GE Base-T
- Internal Smart Antennas




AP661

Huawei Wi-Fi 6 High Density Ceiling Mount Access Point

Features:

- Indoor
- 1 x Gigabit Ethernet LAN
- 1 x 2.5 Gigabit Ethernet LAN with POE
- Wi-Fi 6 up to 6.575 Gbps
- Smart Antenna's
- 2 x 2 x 4 MIMO



AP761

Huawei Wi-Fi 6 Outdoor Access Point

Features:

- Outdoor
- 1 x Gigabit Ethernet LAN
- 1 x SFP
- Wi-Fi 6 up to 1.775 Gbps
- Directional Antenna
- 2 x 2 MIMO
- IP 68



AP263

Huawei Wi-Fi 6 Wireless Wall-plate AP

Features:

- Indoor
- 2 x Gigabit Ethernet LAN
- Wi-Fi 6 up to 2.975 Gbps
- Smart Antenna
- 2 x 2 MIMO



AC650-128AP

Huawei Wireless Access Controller

Features:

- 10 x Gigabit Ethernet LAN
- 2 x 10GE SFP+ Ports
- Built-in 128 License



AC650-256AP

Huawei Wireless Access Controller

Features:

- 10 x Gigabit Ethernet LAN
- 2 x 10GE SFP+ Ports
- Built-in 256 License

DID YOU KNOW?

The Huawei AP371 has four high-performance signal amplifiers that improve signal strength and sensitivity, enabling easier wall penetration and wider coverage.

HUAWEI eKit

NETWORKING

Routers



Huawei Enterprise Router

Features:

- 2 x Gigabit Ethernet WAN
- 8 X Gigabit Ethernet LAN
- 2 x USB
- Up to 700 Users
- Forwarding Performance 4 Gbps

AR720



Huawei Enterprise Router

Features:

- 2 x Gigabit Ethernet WAN
- 8 x Gigabit Ethernet LAN
- 1 x SFP+
- 1 x GE Combo LAN
- 2 x USB
- Up to 1200 Users
- Forwarding Performance 6 Gbps

AR730

Switches




Huawei eKit 24 Port Unmanaged Switch

Features:

- 24 x Gigabit Ethernet LAN
- 2 x GE SFP Ports
- 1 x Gigabit Ethernet Uplink Port

S110-24T2SR



Huawei eKit 8 Port (PoE) Unmanaged Switch

Features:

- 8 x Gigabit Ethernet LAN
- 1 x GE SFP Ports
- 1 x Gigabit Ethernet Uplink Port
- Total PoE Budget (Watts) : 124W

S110-8P2ST

NOLOGY

Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:




Huawei eKit 16 Port (PoE) Unmanaged Switch Layer 1

Features:

- 16 x Gigabit Ethernet LAN
- 2 x GE SFP Ports
- Total PoE Budget (Watts) : 124W

S110-16LP2SR



Huawei eKit 24 Port (PoE) Unmanaged Switch Layer 1

Features:

- 24 x Gigabit Ethernet LAN
- 2 x GE SFP Ports
- Total PoE Budget (Watts) : 124W

S110-24LP2SR



Huawei eKit 24 Port Managed Switch Layer 2

Features:

- 24 x Gigabit Ethernet LAN
- 4 x 10GE SFP+ Ports

S220-24T4X



Huawei eKit 24 Port (PoE) Managed Switch Layer 2

Features:

- 24 x Gigabit Ethernet LAN
- 400W PoE+
- 4 x 10GE SFP+ Ports
- Total PoE Budget (Watts) : 400W

S220-24P4X



Huawei eKit 48 Port Managed Switch Layer 2

Features:

- 48 x Gigabit Ehernet LAN
- 4 x 10GE SFP+ Ports

S220-48T4X



Huawei eKit 48 Port Managed Switch Layer 2

Features:

- 48 x Gigabit Ethernet LAN
- 4 x GE SFP Ports

S220-48T4S



Huawei eKit 48 Port (PoE) Managed Switch Layer 2

Features:

- 48 x Gigabit Ethernet LAN
- 380W PoE+
- 4 x 10GE SFP+ Ports
- Total PoE+ Budget (Watts) : 380W

S220-48P4X



Huawei eKit 24 Port (PoE) Managed Switch Layer 2

Features:

- 48 x Gigabit Ethernet LAN
- 380W PoE+
- 4 x GE SFP Ports
- Total PoE+ Budget (Watts) : 380W

S220-48P4S



Huawei eKit 24 Port (PoE) Managed Switch Layer 3

Features:

- 24 x Gigabit Ethernet LAN
- 4 x GE SFP Ports
- 400W PoE+
- Total PoE+ Budget (Watts) : 400W

S310-24P4X



Huawei eKit 24 Port Managed Switch Layer 2+

Features:

- 24 x Gigabit Ethernet LAN
- 4 x 10GE SFP+ Ports

S310-24T4X

Nology Catalogue Volume 5 | Copyright © 2025 Nology (Pty) Ltd



Huawei eKit 48 Port Managed Switch Layer 2+

Features:

- 24 x Gigabit Ethernet LAN
- 4 x 10GE SFP+ Ports

S310-48T4X



Huawei eKit 48 Port (PoE) Managed Layer 2+

Features:

- 48 x Gigabit Ethernet LAN
- 380W PoE+
- 4 x 10GE SFP+ Ports
- Total PoE+ Budget (Watts) : 380W

S310-48P4X



Huawei eKit 48 Port (PoE) Managed Switch Layer 2+

Features:

- 48 x Gigabit Ethernet LAN
- 380W PoE+
- 4 x GE SFP Ports
- Total PoE+ Budget (Watts) : 380W

S310-48P4S

HUAWEI eKit

Dual-Radio Wi-Fi 7
Record-High Speeds

Huawei eKitEngine AP371





RUT140

Teltonika RUT140 Ethernet Router

Features:

- 1 x Fast Ethernet Wan
- 1 x Fast Ethernet Lan
- Wi-Fi 4
- 5 x Gigabit Ethernet Ports
- SA & NSA
- GNSS & USB
- Dual SIM



RUTX14

Teltonika RUTX14 LTE Cat 12 Router

Features:

- 4G LTE CAT 12
- 5 x Gigabit Ethernet LAN
- Dual band Wi-Fi 5
- Dual SIM
- GNSS
- 2 x I/Os
- USB



RUTX12

Teltonika RUTX12 Dual LTE Cat 6 Router

Features:

- 4G LTE CAT 6
- 5 x Gigabit Ethernet LAN
- Dual band Wi-Fi 5
- Dual SIM
- GNSS
- 2 x I/Os
- USB



RUTX50

Teltonika RUTX50 5G Router

Features:

- 5G, 4G LTE CAT 20, 3G
- Dual band Wi-Fi 5
- 5 x Gigabit Ethernet LAN
- SA & NSA
- GNSS & USB
- Dual SIM
- 2 x I/Os

TELTONIKA | NETWORKS

Industrial router that combines cellular, Wi-Fi, and wired connectivity options with automatic WAN failover and GNSS capabilities.

RUT956



RUTX11

Teltonika RUTX11 LTE Cat 6 Router

Features:

- 4G LTE CAT 6
- 4 x Gigabit Ethernet LAN
- Dual band Wi-Fi 5
- Dual SIM
- GNSS
- 2 x I/Os
- USB



RUT906

Teltonika RUT906 LTE Cat 4 Router

Features:

- 4G LTE CAT 4
- 4 x Fast Ethernet LAN
- Wi-Fi 4
- Dual SIM
- GNSS
- 8 x I/Os
- RS232 & RS485



RUT956

Teltonika RUT956 LTE Cat 4 Router

Features:

- 4G LTE CAT 4
- 4 x Fast Ethernet LAN
- Wi-Fi 4
- Dual SIM
- GNSS
- 8 x I/Os
- RS232 & RS485




RUT901

Teltonika RUT901 LTE Cat 4 Router

Features:

- 4G LTE CAT 4
- Dual SIM
- 4 x Fast Ethernet LAN
- Wi-Fi 4
- 2 x I/Os





RUT260

Teltonika RUT260 LTE Cat 6 Router

Features:

- 4G LTE CAT 6
- 1 x SIM slot
- 1 x Fast Ethernet LAN
- 1 x Fast Ethernet WAN
- Wi-Fi 4
- Digital I/O



RUT241

Teltonika RUT241 LTE Cat 4 Router

Features:

- 4G LTE CAT 4
- 1 x SIM slot
- 1 x Fast Ethernet LAN
- 1 x Fast Ethernet WAN
- Wi-Fi 4
- Digital I/O



RUT200

Teltonika RUT200 LTE Cat 4 Router

Features:

- 4G LTE CAT 4
- 1 x SIM slot
- 1 x Fast Ethernet LAN
- 1 x Fast Ethernet WAN
- Wi-Fi 4
- Digital I/O



RUT951

Teltonika RUT951 LTE Cat 4 Router

Features:

- 4G LTE CAT 4
- Dual SIM
- 3 x Fast Ethernet LAN
- 1 x Fast Ethernet WAN
- Wi-Fi 4
- 2 x I/Os



RUT361

Teltonika RUT361 LTE CAT 6 Router

Features:

- 4G LTE CAT 6
- 1 x Fast Ethernet LAN
- 1 x Fast Ethernet WAN
- Wi-Fi 4
- Digital I/O



TSW212

Teltonika L2 Managed Switch 10 Port

Features:

- 8 x Gigabit Ethernet LAN
- 2 x SFP Ports
- Jumbo frame support up to 10000 bytes
- 2-pin industrial DC power socket



TSW202

Teltonika PoE+ L2 Managed Switch 10 Port

Features:

- 8 x Gigabit Ethernet LAN
- 2 x SFP Ports
- Jumbo frame support up to 10000 bytes
- 2-pin industrial DC power socket
- PoE +
- 240W PoE Budget



TSW101

Teltonika PoE+ Automotive Switch 5 Port

Features:

- 5 x Gigabit Ethernet LAN
- Jumbo frame support up to 10000 bytes
- 2-pin industrial DC power socket
- PoE +
- 60W PoE Budget




TSW200

Teltonika PoE+ Switch 10 Port

Features:

- 8 x Gigabit Ethernet LAN
- 2 x SFP port
- PoE+
- 240W PoE Budget



TSW200 is an industrial Ethernet switch with 2 SFP ports for long-range Fiber-optic communication and 8 Gigabit Ethernet ports that support IEEE802.af and IEE802.3at Power-over-Ethernet standards.

Gateways



TRB246

Teltonika TRB246 LTE Cat 4 Gateway

Features:

- 4G LTE CAT 4
- Dual-Sim
- 1 x Fast Ethernet LAN
- RS232/485 Serial Interfaces
- Configurable I/O's
- GNSS



TRB145

Teltonika TRB145 LTE Cat 1 RS485 Gateway

Features:

- 4G LTE CAT 1
- RS485 interface
- Micro USB
- 1 x SIM card
- 2 x Inputs/Outputs



TRB143

Teltonika TRB143 LTE Cat 4 M-Bus Gateway

Features:

- 4G LTE CAT 4
- M-Bus interface
- 1 x Gigabit Ethernet LAN
- 1 x SIM card
- 2 x Inputs/Outputs



TRB142

Teltonika TRB142 LTE RS232 Gateway

Features:

- 4G LTE CAT 1
- RS232 interface
- 1 x SIM card
- Micro USB
- 2 Inputs/Outputs

Business Wi-Fi




TAP200

Teltonika TAP200 Wireless Access Point

Features:

- Wi-Fi 5
- 1 x Gigabit Ethernet LAN
- PoE-in
- Internal antennas
- Fast roaming 802.11r
- 802.11.k and 802.11.v
-

Nology Catalogue Volume 5 | Copyright © 2025 Nology (Pty) Ltd



PR4MK04K

Teltonika 4-PIN Plug With Contact Terminals

Features:

- Voltage rating: 250 V AC/DC
- Current rating: 5 A AC/DC
- Withstand voltage: 1500 V AC for 1 minute
- Insulation resistance: 1000 MΩ min
- Temperature range: – 25 °C ~ + 85 °C
- Contact resistance: 10 mΩ
- Insulator material: Nylon 66



PR5MEC11

Teltonika Compact DIN RAIL KIT

Features:

- Mounting type: 35 mm DIN Rail
- Material: ABS + PC plastic
- Dimensions: 70 x 25 x 14.5 mm
- Screws included: Philips Pan head screw #6-32×3/16, 2 pcs
- RoHS compliant: Yes
- Weight: 6.5 g



BAT120

Teltonika BAT120 Uninterruptible Power Supply

Features:

- Connector: 4-pin industrial DC power socket
- Charger: max 4 W / 300 mA
- Input voltage range: 9 – 30 VDC
- Passthrough mode: 9 – 30 VDC
- Battery mode: 12 VDC

NOLOGY
Epsidon Technology Holdings


SCAN HERE TO BECOME A RESELLER:

Register as a Nology reseller today and get access to:

Product training
Industry leading products and services
Technical support
Marketing assistance
New product announcements
Monthly promotions
Flexible payment terms
Convenient online ordering portal

TELTONIKA | NETWORKS

WE HELP YOU CONNECT





LS-1600V2-6P-HPWR-GL

H3C S1600V2-6P-HPWR L2 Ethernet Switch

Features:

- 5 x Gigabit Ethernet Ports
- 4 x PoE+ Ports
- Total PoE budget: 73W
- 1 x Gigabit SFP Port
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-1600V2-10P-HPWR-GL

H3C S1600V2-10P-HPWR L2 Ethernet Switch

Features:

- 9 x Gigabit Ethernet Ports
- 8 x PoE+ Ports
- Total PoE budget: 125W
- 1 x Gigabit SFP Port
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-1600V2-18P-HPWR-GL

H3C S1600V2-18P-HPWR L2 Ethernet Switch

Features:

- 16 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 240W
- 2x Gigabit SFP Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-1600V2-26P-HPWR-GL

H3C S1600V2-26P-HPWR L2 Ethernet Switch

Features:

- 24 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 370W
- 2x Gigabit SFP Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-1600V2-26S-HPWR-GL

H3C S1600V2-26S-HPWR L2 Ethernet Switch

Features:

- 24 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 370W
- 2x Gigabit SFP+ Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-1850V2-10P-HPWR-EI-GL

H3C S1850V2-10P-HPWR-EI L2 Ethernet Switch

Features:

- 8 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 125W
- 2 x Gigabit SFP Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-1850V2-52X-PWR-GL

H3C S1850V2-52X-PWR L2 Ethernet Switch

Features:

- 48 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 370W
- 4 x 10 Gigabit SFP+ Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-5120V3-28P-PWR-LI-GL

H3C S5120V3-28P-PWR-LI L2 Ethernet Switch

Features:

- 24 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 240W
- 4x Gigabit SFP Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-5120V3-28P-HPWR-LI-GL

H3C S5120V3-28P-HPWR-LI L3 Ethernet Switch

Features:

- 24 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 370W
- 4 x Gigabit SFP Ports
- 4 x Gigabit Ethernet Combo Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform



LS-5120V3-52P-PWR-LI-GL

H3C S5120V3-52P-PWR-LI L2 Ethernet Switch

Features:

- 48 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 370W
- 4 x Gigabit SFP Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform

H3C S5120V3-28S-PWR-LI L3 Ethernet Switch



LS-5120V3-28S-PWR-LI-GL

Features:

- 24 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 240W
- 4 x 10 Gigabit SFP+ Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform

H3C S5120V3-28S-HPWR-LI L3 Ethernet Switch



LS-5120V3-28S-HPWR-LI-GL

Features:

- 24 x Gigabit Ethernet PoE+ Ports
- Total PoE budget: 370W
- 4 x Gigabit SFP Ports
- 4 x 10 Gigabit SFP+ Combo Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform

H3C S5120V3-28F-LI L2 Ethernet Switch



LS-5120V3-28F-LI-GL

Features:

- 24 x Gigabit Ethernet Ports
- 2 x Gigabit SFP Port
- 2 x Gigabit Ethernet Combo Ports
- 2 x 10 Gigabit SFP+ Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform

H3C S6520X-16ST-SI L3 Ethernet Switch



LS-6520X-16ST-SI-GL

Features:

- 14 x 10 Gigabit SFP+ Ports
- 2 x 10 Gigabit Combo Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform
- Power Module Redundancy (purchased separately)

H3C S6520X-24ST-SI L3 Ethernet Switch



LS-6520X-24ST-SI-GL

Features:

- 22 x 10 Gigabit SFP+ Ports
- 2 x 10 Gigabit Combo Ports
- Intelligent Web Management
- Cloudnet - Cloud Management Platform
- Power Module Redundancy (purchased separately)



EWP-WA6020

H3C WA6020 Access Point

Features:

- Wi-Fi 6 - Up to 1500Mbps
- Dual-Radio
- 1 x Gigabit Ethernet Port
- PoE Powered
- 4 Spatial Streams
- Cloudnet - Cloud Management Platform



EWP-WA6022H

H3C WA6022H Wall-plate Access Point

Features:

- Wi-Fi 6 - Up to 1500Mbps
- Dual-Radio
- 2 x Gigabit Ethernet Ports
- PoE Powered
- 4 Spatial Streams
- Cloudnet - Cloud Management Platform



EWP-WA6120

H3C WA6120 Access Point

Features:

- Wi-Fi 6 - Up to 3000Mbps
- Dual-Radio
- 1 x Gigabit Ethernet Port
- PoE Powered
- 4 Spatial Streams
- Cloudnet - Cloud Management Platform



EWP-WA6120H

H3C WA6120H Wall-plate Access Point

Features:

- Wi-Fi 6 - Up to 3000Mbps
- Dual-Radio
- 4 x Gigabit Ethernet LAN Ports
- 1 x Gigabit Ethernet Uplink Port
- PoE Powered
- 4 Spatial Streams
- Cloudnet - Cloud Management Platform



EWP-WA6120X

H3C WA6120X Outdoor Access Point

Features:

- Wi-Fi 6 - Up to 3000Mbps
- Dual-Radio
- 2 x Gigabit Ethernet Ports
- PoE Powered
- IP67 Rated
- 4 Spatial Streams
- Cloudnet - Cloud Management Platform

H3C

NETWORKING

Firewalls



NS-SecPath F100-C-A1-I

H3C SecPath F100-C-A1 Firewall Appliance

Features:

- Powerful Security Features (Packet Filtering, Access Control, Traffic Monitoring, etc.)
- Deep Packet Inspection
- High Availability
- 5 x Gigabit Ethernet Ports
- 2 x Gigabit SFP Ports
- Cloudnet - Cloud Management Platform

Routers



RT-MSR610

H3C MSR610 Enterprise 6-Port Gigabit Ethernet Router

Features:

- 1 x Gigabit SFP WAN Port
- 1 x Gigabit Ethernet WAN Port
- 4 x Gigabit LAN/WAN Ports
- Granular control
- Wireless Access Controller (licence not included)
- Cloudnet - Cloud Management Platform

HALNY

NETWORKING

Fibre



HL-1GE

HALNy HL-1GE GPON ONT with 1 Gigabit LAN port and SFU/HGU modes support

Features:

- 1 GPON port (SC/APC type) and 1-Gigabit Ethernet Ports
- Layer 2 Support and Includes Support for L2 VLAN's
- L2 QoS and Multicast IGMP
- Router and NAT Features in Single Unit
- Network Interface is Compliant with ITU-T G.984.5 to Provide 2.5 Gb/s Downstream and 1.25 Gb/s Upstream
- LAN Interface Provides Gigabit Service

NOLOGY

Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:



CONSUMER

Nology's Consumer products are specifically designed to cater to the needs and preferences of individual customers. These products are intended for personal use and offer a range of functionalities to enhance everyday life.

These products are carefully selected to provide customers with reliable, efficient, and cutting-edge solutions for their home connectivity, entertainment, and communication needs.

- Home Wi-Fi
- Android Auto & CarPlay
- Media Player
- IOT
- Backup Power
- Chargers

Nology Catalogue 2024 | Copyright © 2024 Nology (Pty) Ltd

NETOGY

NOVA

4K ULTRA HD ANDROID TV BOX

With Bluetooth Remote

TURN YOUR TV INTO A SMART TV



prime video showmax DStv so much more

NETFLIX Disney+ YouTube

Ok Google

Powered by androidtv 11 | Wi-Fi 5 | LAN Port | AV | Chromecast built-in | 16GB Internal Storage

AVAILABLE AT: takealot.com HiFi Corp HiFiCorp incredible connection

WWW. NETOGY .CO.ZA

NETOGY

CONSUMER

Media Player



NOVA10

Netogy Nova 4K Ultra HD Android TV Box

Features:

- Google and Netflix Certified
- Android™ TV 11 (or newer)
- Chromecast Built-in
- Resolution: *4K Ultra HD @ 60fps
- Supports High Dynamic Range (HDR)
- CPU: Amlogic S905Y4 ARM Quad-core 64-bit Cortex-A35
- Supports AV1 codec
- Wi-Fi + LAN Port
- 16GB Storage

Backup Power




UPS30

Netogy Mini 46Wh In-Line UPS

Features:

- Input Voltage Range: 100 ~ 240 V AC / 12V DC @ 2.5Amp Max.
- Output Port: DC Port
- Battery Mode: Output Voltage - 12V DC
- Battery Mode: Output Current - 2.5A Max
- Power Adapter (AC Mains): 12V DC Power Adapter (not included)
- Battery Capacity: 46Wh
- Charging Period: 12 Hours



UPS100-PLUS

Netogy Mini 14400mAh DC UPS / Power Bank

Features:

- Emergency Uninterruptable Power Supply, Perfect for Load Shedding
- Can be Used as a Power Bank
- High Output Power (100W) Capable of Powering Multiple Devices Simultaneously
- Suitable for Most Digital Devices with 8 x DC outputs Supporting Multiple Voltages and 2 x 5V USB Ports
- High-capacity (14400mAh) Lithium Iron Phosphate (LiFePO4) Battery

NETOGY

Netogy Mini 14400mAh DC UPS
Power Bank

UPS100-PLUS





MECOOL

CONSUMER

Media Player



KM2-PLUS

MECOOL Android TV Box

Features:

- Netflix and Google-certified Android TV Smart Box
- Powered by s905x4-B Quad-Core A55 CPU with AV1 HDR
- 4K Netflix, Youtube, Prime Video Supported
- 4K Ultra HD Streaming Android IPTV Player Vstro Player
- 2GB RAM 16GB ROM
- Wi-Fi + LAN Port



KM7-PLUS

MECOOL Google TV Box

Features:

- Android 11 with Latest Google TV OS Interface
- Google Assistant and Chromecast Built-in
- 2GB DDR4 +16GB EMMC
- Dual Band Wi-Fi + LAN Port
- Supports AV1 Codec
- 4K HDR



KD3

MECOOL 4K TV Stick Media Player

Features:

- Runs Android 11 with the Latest Google TV OS Interface
- Supports HDR10, HLG HDR Processing
- Light and Portable, Small Enough to Easily Fit in Your Pocket
- Google & Netflix Certified
- Supports AV1 Codec
- 2GB RAM + 8GB Storage

MECOOL KD3 4K Google TV Streaming Stick

Ok Google · Google TV · YouTube · YouTube TV · prime video · Disney+ · NETFLIX · Dolby Audio · 4K Ultra HD · Chromecast built-in · DSTV · showmax



OS	CPU	Wi-Fi	4K	DRAM	Flash	HDR
Google TV	S905Y4	2.4G/5G 2T2R	UHD	DDR 2GB	eMMC 8GB	10

motorola

CONSUMER

Android Auto



MA1

Wireless Car Adapter For Android Auto

Features:

- Engineered By Google
- Lightweight Sleek Design
- Fast Automatic Connection Using Bluetooth
- Easy Set Up
- Direct USB Plug-in to Existing Android Auto-enabled Vehicles

Chargers



SJMC302

Motorola TurboPower 30W

Features:

- Compatible with USB-C and USB-PD Devices
- Super Compact but Powerful
- Compatible with Samsung, Apple, and other USB-C Devices
- Includes 1m USB-C to USB-C Cable



SJMC502

Motorola TurboPower 50W (Dual Port)

Features:

- Compatible with USB-C and USB-PD Mobile Devices
- Includes Robust High Quality 1m USB-C to USB-C Cable
- Dual Ports: 1 x USB-C and USB-A Ports



SJMC682

Motorola TurboPower 68W

Features:

- Compatible with USB-C and USB-PD Mobile Devices
- GaN Fast Technology
- 1m USB-C to USB-C 6.5Amp Cable

NOLOGY

Epsidon Technology Holdings

SCAN HERE TO BECOME A RESELLER:



SHELLY PM MINI GEN3

Shelly PM Mini Wi-Fi Power Meter Only, 1 Channel, 16A

Features:

- Wi-Fi and Bluetooth Operated
- Power Monitoring
- URL Actions
- Serves As A Wi-Fi Range Extender and Bluetooth Gateway
- Smart Schedules
- Scripting



SHELLY 1 MINI GEN3

Shelly Smart Mini Wi-Fi Relay Gen 3 (8A x 1 Channel)

Features:

- Wi-Fi Operated - Connect Shelly 1 Mini Gen3 to your Wi-Fi network. No HUB required!
- Bluetooth - Quick inclusion via Bluetooth or use it as a Bluetooth gateway.
- Dry Contacts - Use it to control a wide range of devices and appliances.
- Smart Schedules - Set custom schedules based on your daily agenda or follow the sun-rise/sunset and control your lighting accordingly.
- Smart Scenes - Set custom scenes by combining Shelly 1 Mini Gen3 with your other Shelly devices.




SHELLY 1PM MINI GEN3

Shelly Smart Wi-Fi Mini Relay Gen 3 (8A X 1 Channel)

Features:

- Wi-Fi Operated - Connect Shelly Mini 1PM Gen3 to your Wi-Fi network. No HUB required!
- Bluetooth - Quick inclusion via Bluetooth or use it as a Bluetooth gateway.
- Power Monitoring - Provides precise monitoring of power consumption and helps you save.
- Smart Schedules - Set custom schedules based on your daily agenda or follow the sun-rise/sunset and control your lighting accordingly.
- Smart Scenes - Set custom scenes by combining Shelly 1PM Mini Gen3 with your other Shelly devices.




SHELLY PRO 3EM-400A

Shelly Pro 3EM-400A (3-Phase Electricity Monitor) Relay

Features:

- Wi-Fi, LAN and Bluetooth Connectivity
- DIN Rail Mounting
- Industrial Installations
- 4-quadrant Measurement
- Scripting Functionalities



SHELLY PRO 3EM-120A

Shelly Pro 3EM-120A (3-Phase Electricity Monitor) Relay

Features:

- 4-quadrant Measurement
- Accuracy Class B (active energy)
- MODBUS Support
- Wi-Fi, LAN, and Bluetooth Connectivity
- Power Monitoring
- Scripting Functionalities
- DIN Rail

Shelly

Pro Series...



Shelly Pro 3EM



Shelly Pro 1PM



Shelly Pro 2PM

Shelly Pro 4PM



Shelly Smart Control

one app to control your spaces, energy consumption, and expenses.


Get the app on:

Download on the App Store | GET IT ON Google Play | EXPLORE IT ON AppGallery

Full compatibility

Shelly devices are compatible with **Alexa, Google Home, Android and iOS**. Together with the voice assistant, you can command Shelly devices using just your voice!

alexa | Google Home | android | iOS





SHELLY PRO EM - 50

Shelly DIN Rail Mountable Two-Channel, Single-Phase Energy Meter

Features:

- 4 Quadrant measurement
- DIN rail mounting
- Current transformer connection
- External contactor control via built in dry-contact relay
- Optical pulse indication of energy usage
- Real-time clock
- Data logs



SHELLY PRO 1PM

Shelly Smart Wi-Fi Relay With Power Monitoring, 1 Channel

Features:

- LAN, Wi-Fi, and Bluetooth Connectivity
- Wide Range of Voltage Support
- 1 channel, 16 A
- Enhanced Safety & Security
- Power Monitoring
- Scripting Capabilities
- DIN Rail



SHELLY PRO 2PM

Shelly Smart Wi-Fi Relay With Power Monitoring, 2 Channel

Features:

- LAN, Wi-Fi, and Bluetooth Connectivity
- Cover (roller) Control
- 2 Outputs, 16 A Each
- Enhanced Safety & Security
- Precise Power Metering
- Scripting Capabilities




SHELLY PRO 4PM

Shelly Smart Wi-Fi Relay With Power Monitoring, 4 Channel

Features:

- LAN, Wi-Fi, and Bluetooth Connectivity
- Wide Range of Voltage Support
- 4 Outputs, 16 A Each, Total device maximum of 40A
- Enhanced Safety & Security
- Power Monitoring
- Scripting Capabilities
- DIN Rail



SHELLY PLUS 1

Shelly Smart Wi-Fi Relay (1 Channel)

Features:

- 16A
- 1 Channel
- Wi-Fi Operated
- Bluetooth for Easy Setup
- Dry Contacts
- Low and High Voltage Support
- Smart Schedules
- Smart Scenes



SHELLY PLUS 1PM

Shelly Smart Wi-Fi Relay with Power Monitoring (1 Channel)

Features:

- 16A
- 1 Channel
- Wi-Fi Operated
- Bluetooth for Easy Setup
- Low + High Voltage Support
- Power Monitoring




SHELLY PLUS 2PM

Shelly Smart Wi-Fi Relay With Power Monitoring (2 Channel)

Features:

- 16A total Current (18A peak)
- 2 Channels
- Wi-Fi Operated
- Bluetooth for Easy Setup
- Power Monitoring



SHELLY DIMMER 2

Shelly Smart Wi-Fi Relay With Dimming Function

Features:

- Wi-Fi Operated
- No Neutral Line Required
- Power Monitoring
- Dimming Function



SHELLY PLUS ADD-ON

Shelly Plus Add On

Features:

- Motion-controlled Lights
- Irrigation Only When Needed
- An Awning That Follows the Weather
- Control Your Lights Based on Luminosity
- Always Informed
- Garage Door Position



SHELLY PLUS SMOKE ALARM

Shelly Plus Smoke Alarm

Features:

- Wi-Fi & Bluetooth Connectivity
- Wire Free
- Up to 5 Years of Battery Life
- Sound & Light Alerts
- Easily Mountable
- Immediate Notification
- Smart Scenes

Nology Catalogue 2024 | Copyright © 2024 Nology (Pty) Ltd



SHELLY H&T GEN3 (BLACK)

Shelly H&T Gen3 - Wi-Fi Temperature & Humidity Sensor

Features:

- Wi-Fi and Bluetooth Connectivity
- Large E-Paper Graphic Display and Digital Clock
- Measures Temperature and Humidity Of The Room
- Integration with Smart Home Platforms
- USB Type-C Port
- User-Friendly Interface



SHELLY BLU H&T (BLACK)

Shelly BLU H&T - Wi-Fi Smart Humidity And Temperature Sensor

Features:

- Detects and reports temperature and humidity (free data storage)
- IP54 rated – water and dust-resilient
- Battery 1 x 3 V CR2032 – included
- Long Battery life – up to 3 years
- Encryption (high level of security)
- Beacon mode (can be used for presence detection)
- Can be integrated into automation scenarios and scenes



SHELLY WALL DISPLAY + BLU H&T

Shelly Wall Display + BLU H&T Combo

Features:

- Wi-Fi and Bluetooth connectivity - Connect it to your Wi-Fi network. No HUB required! Quick inclusion via Bluetooth or use it as a Bluetooth gateway.
- Instant environmental data - Integrated LUX sensor & precise temperature and humidity data from Shelly BLU H&T for monitoring and automations
- Thermostat - Monitor, manage and fine-tune your heating or cooling settings together with data from Shelly BLU H&T.
- Integrated switch - Features a 5 A switch for appliance control



SHELLY BLU BUTTON TOUGH 1

Shelly Blu Button Tough1 (Black) - Smart Shock, Water And Dust-Resistant Bluetooth Button Of a Compact Size

Features:

- Bluetooth-operated
- Multi-click action trigger
- IP54 Protection level
- Immediate response time
- Broad range
- Scene activation

DID YOU KNOW?

Shelly Wall Display can also function as a thermostat together with Shelly BLU H&T, presenting an intuitive interface for monitoring, managing, and fine-tuning your heating or cooling settings.



SHELLY BLU BUTTON1

Shelly BLU Button1

Features:

- Bluetooth-operated
- Multi-click Action Trigger
- Immediate Response Time
- Low Battery Consumption
- Visual & Sound Hints
- Broad Range



SHELLY BLU RC BUTTON 4

Shelly BLU RC Button 4 - Smart Four-Button Bluetooth Remote Controller

Features:

- Bluetooth-operated
- Multi-click action trigger
- Long battery life



SHELLY BLU DOOR/WINDOW

Shelly BLU Door/Window Smart Sensor

Features:

- Bluetooth Operated
- Wire Free
- Door and Window Opening and Closing Sensor
- Integrated Sensors And Scene Activation
- Immediate Notification
- Long Battery Life



SHELLY BLU GATEWAY

Shelly BLU Gateway - Smart BLE To Wi-Fi Gateway In a USB-A Dongle

Features:

- Wi-Fi operated
- Wire-free
- Bluetooth
- Scripting



SHELLY BLU MOTION

Shelly BLU Motion - Smart Bluetooth Motion Detection Sensor Featuring a Lux Meter

Features:

- Bluetooth - operated
- Long-lasting battery of up to 5 years
- Scripting
- Immediate response
- Light sensor
- Scene activation

Nology Catalogue 2024 | Copyright © 2024 Nology (Pty) Ltd



SHELLY DUO (E27)

Shelly DUO Smart Wi-Fi Bulb

Features:

- Wi-Fi Operated
- Dimmable
- E27 Socket
- 9W
- Warm White and Cold White Brightness
- Available in CW/WW or RGBW



SHELLY DUO CW/WW (GU10)

Shelly DUO Smart Wi-Fi Bulb

Features:

- Wi-Fi Operated
- Dimmable
- GU10 Socket
- 4.8W
- Warm White and Cold White Brightness



SHELLY VINTAGE G125 (E27)

Shelly Vintage Smart Wi-Fi Bulb

Features:

- Wi-Fi Operated
- Dimmable
- E27 Socket
- 4W
- Warm White Brightness
- 260 Luminescent



SHELLY VINTAGE A60 (E27)

Shelly Vintage Smart Wi-Fi Bulb

Features:

- Wi-Fi Operated
- Dimmable
- E27 Socket
- 7W
- Warm White Brightness
- 750 Luminescent



SHELLY VINTAGE ST64 (E27)

Shelly Vintage Smart Wi-Fi Bulb

Features:

- Wi-Fi Operated
- Dimmable
- E27 Socket
- 7W
- Warm White Brightness
- 750 Luminescent



SHELLY TEMP SENSOR

Shelly Temperature Sensor - DS18B20

Features:

- Requires Shelly Add-On Or Plus Add-On
- Available in 1m or 3m
- Waterproof package with cable
- Temperature range -55°C to +125°C
- Designed for -10°C to +85°C (+- 0.5°C)



SHELLY BYPASS

Shelly Bypass - Needed If Dimmer 2 Is Used With No Neutral

Features:

- Universally Small - The Shelly Bypass size is 39mm x 23mm x 7mm
- Power Supply - The Shelly Bypass power supply is 230V ±10%, 50Hz AC with no DC
- The Shelly Bypass is compatible with the Shelly 1L, Shelly Dimmer 2



SHELLY 50A CLAMP

Shelly Split Core Current Transformer 50A

Features:

- Monitors power consumption of home appliances, electric circuit and office equipment individually
- Power Supply - The Shelly Current Transformer 50A electrical strength is 3000VAC 1mA60s
- The Shelly Current Transformer 50A is compatible with the Shelly EM



SHELLY 120A CLAMP

Shelly Split Core Current Transformer 120A

Features:

- Connect the clamp around the mains cable in your DB board and connect it directly to the Shelly EM to monitor the consumption of appliances.
- Power Supply - The Shelly Current Transformer 120A electrical strength is 3000VAC 1mA60s
- The Shelly Current Transformer 120A is compatible with the Shelly EM



SHELLY PLUS UNI

Shelly Plus Universal Module

Features:

- Wi-Fi Operated & Bluetooth connectivity
- Sensor interface
- Precise Voltmeter
- Pulse counting
- Dry contacts
- Scripting



CP89-HD-NS

Minix HD Portable Wireless CarPlay & Android Auto High-Definition Touchscreen

Features:

- Unmatched 60FPS Smoothness
- Extensive Vehicle Compatibility
- Resolution 1920 x 720
- Built-in Speaker
- Dual Bluetooth Connection and FM Transmitter
- 8GB Storage and 256MB RAM
- Adaptive Brightness For Comfort



CP86-CP-NS

Minix Wireless Apple CarPlay Dongle Stick

Features:

- Plug-and-Play Setup With Automatic Reconnect via Bluetooth
- Extensive Vehicle Compatibility
- USB-A to USB-C Adapter
- 90 Degree Adapter To Fit A Wide Range Of Vehicles



C1-NS

Minix C1 Wireless Display Dongle (USB-C to HDMI)

Features:

- Driver Free
- 1080P Full HD
- Screen Mirroring/Extension
- Ultra Portable
- Plug & Play
- Full HD Resolution
- 50m Range (up to)



H1-NS

Minix H1 Wireless Display Dongle (HDMI to HDMI)

Features:

- Driver-free
- 1080P Full HD
- Screen Mirroring / Extension
- Ultra Portable
- Plug & Play
- Full HD Resolution
- 50m range (up to)

DID YOU KNOW?

The Minix CP89-HD is exceptionally versatile, supporting both CarPlay and Android Auto systems. Enjoy seamless connectivity and enhanced driving experience, whether you're using an iPhone or Android device.

MINIX

CP89-HD Portable Wireless CarPlay & Android Auto High-Definition TouchScreen



If your car lacks a built-in screen or doesn't support Apple CarPlay or Android Auto, the MINIX CP89-HD is the perfect solution. This 8.9-inch display is compatible with over 800 vehicles models, bringing Apple CarPlay and Android Auto seamlessly to your dashboard.



Unmatched 60FPS Smoothness



Secure Magnetic Mounting



Extensive Vehicle Compatibility



Comprehensive Audio Connectivity



Dual-System Versatility



Physical Button Control



Adaptive Brightness for Comfort



Versatile Sound Options

MANAGED SERVICES



STACK
END-TO-END LOGISTICS

Nology's STACK offering is another dynamic value-added service designed to reduce your costs and save you time as we take ownership of picking, packing, and shipping your customers' orders. We offer a secure warehouse facility where you can store your stock, reducing the risk of loss and saving you space.

Our customised reporting can be tailored to your needs to ensure that you are always kept in the loop with regards to your stock movement. Best of all, STACK delivers a real-time service that enables you to track the progress of your parcels at any time. Furthermore, your customers will be notified when delivery will take place, with an easy-to-use option to update the delivery time and address should circumstances change.

We pride ourselves in offering a comprehensive Return Logistics service, which means that should a device be faulty; we will send back a replacement device free of charge! Combine all of this with the partnership we have with our world class couriers, and you can be assured of reliable, professional, and timeous delivery of your products no matter where! All these benefits are available to you at a very affordable all-inclusive price.



Disclaimer:

The images, products, and features presented in this catalogue were accurate at the time of its creation. Please note that some features may have changed, images may have been updated, and certain products may have reached End of Life (EOL) and been replaced with newer models. For the most current information, please consult our website or contact Nology directly.



SCAN HERE
TO BECOME A RESELLER

Gauteng

Unit 4 Louwlardia Business Park
122 Bavaria Road, Centurion
Gauteng, South Africa, 0157

+27108240040

sales@nology.co.za

Cape Town

Unit 2 Garnet Park
6 Drill Avenue, Montague Gardens
Cape Town, South Africa, 7441

+27108240044

cptsales@nology.co.za